



Wiring Handbook

Disclaimer:

Astatic Does not assume the responsibility of any damage to either the microphone nor any radio that has been modified to the specifications within this manual. Although all have been known to work, the wirings in this manual are only recommendations by Astatic.

Updated: November 2002

ALAN

| | |
|-----|-----------|
| 555 | WH-2 |
| 560 | SH & BL-1 |
| | RED-3 |
| | BK-4 |
| | YEL-N/C |

ALARON (B & B IMPORT)

| | |
|-------|-----------|
| B4500 | WH-2 |
| B4900 | SH & BL-1 |
| | RED-3 |
| | BK-4 |
| | YEL-NC |

| | |
|--------|--------|
| B-4075 | WH-1 |
| B4085 | SH-4 |
| B4800 | BL-3 |
| B4950 | RED-2 |
| B5050A | BK-5 |
| | YEL-NC |

| | |
|-------|-------------|
| B1025 | WH-1 |
| | SH-4 |
| | BL-3 |
| | RED-2 |
| | YEL & BK-NC |

| | |
|-------|-----------|
| B1050 | WH-3 |
| B4050 | SH & BL-4 |
| | RED-2 |
| | BK-1 |
| | YEL-N/C |

| | |
|-------|--------------|
| B1150 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | YEL & BK-N/C |

| | |
|-------|--------------|
| B1100 | WH-1 |
| | SH-2 |
| | BL-4 |
| | RED-3 |
| | YEL & BK-N/C |

ALINCO RADIO

| | |
|-------|-------------|
| DX-70 | WH-1 |
| | RED-2 |
| | SH-8 |
| | BL-7 |
| | YEL & BK-NC |

ALLIED KNIGHT

| | |
|--------|------------|
| A-2507 | WH-BK |
| | SH & BL-SH |
| | RED-RED |
| | BK-SPKR |
| | YEL-NC |

ALLIED KNIGHT (cont')

| | |
|-------|--------------|
| A2530 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | YEL & BK-N/C |

| | |
|--------|-------------|
| A-2533 | WH-AUDIO |
| | YEL-NC |
| | SH & BL-GND |
| | RED-CONTROL |
| | BK-SPKR |

| | |
|-------|--------------|
| A2559 | WH-WH |
| A2561 | SH & BL-SH |
| | RED-RED |
| | YEL & BK-N/C |

| | |
|---------|-----------|
| KN-2500 | WH-3 |
| KN-2550 | SH & BL-4 |
| KN-2580 | RED-1 |
| KN-2585 | BK-5 |
| | YEL-NC |

| | |
|---------|--------------|
| KN-2526 | WH-1 |
| KN-2565 | SH & BL-2 |
| KN-2567 | RED-3 |
| | YEL & BK-N/C |

| | |
|---------|--------------|
| KN-2560 | WH-1 |
| | SH & BL-4 |
| | RED-2 |
| | YEL & BK-N/C |

AMERICAN ELECTRONICS

| | |
|-----------|------------------|
| BUCCANEER | **NOT COMPATABLE |
| SPIRIT | WH-4 |
| FREEDOM | SH & BL-3 |
| | RED-1 |
| | BK-2 |
| | YEL-N/C |

ATLAS

| | |
|------|----------------|
| 210X | RING-WH |
| | TIP-RED |
| | SLEEVE-SH & BL |

AUDIOVOX

| | |
|--------|-----------|
| MCB-30 | WH-3 |
| | SH & BL-4 |
| | RED-2 |
| | BK-1 |
| | YEL-N/C |

| | |
|--------|-------|
| MCB500 | WH-1 |
| | SH-6 |
| | BL-4 |
| | RED-5 |

| | |
|------------------|-------|
| **NOT COMPATIBLE | BK-3 |
| WITH SE PLUS | YEL-2 |

AUDIOVOX (cont')

| | |
|---------|-------------|
| MCB1000 | WH-1 |
| | SH & BL-2 |
| | YEL-N/C |
| | RED-3 |
| | BK-5 OR N/C |

| | |
|---------|---------|
| MCB2000 | WH-1 |
| | SH-6 |
| | BL-4 |
| | RED-5 |
| | BK-3 |
| | YEL-N/C |

| | |
|---------|--------------|
| MCB3000 | WH-1 |
| | SH-2 |
| | BL-3 |
| | RED-5 |
| | YEL & BK-N/C |

| | |
|--------|---------|
| MCB750 | WH-1 |
| | SH-4 |
| | RED-3 |
| | BL-5 |
| | BK-2 |
| | YEL-N/C |

| | |
|--------|-----------|
| MCB100 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | BK-5 |

BELTEK

| | |
|---------|---------|
| W5335-F | WH-2 |
| | SH-1 |
| | BL-1 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |

BOHSEI

| | |
|---------|-----------|
| D1325RF | WH-1 |
| | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |

BOMAN

| | |
|--------|--------------|
| CB 755 | WH-2 |
| CB 750 | SH-4 |
| | BL-1 |
| | RED-3 |
| | YEL & BK N/C |

BOMAN (cont')

| | |
|---------|-----------|
| CB 515 | WH-1 |
| CB 525 | SH & BL-2 |
| CB 535 | RED-4 |
| CB 555 | BK-3 |
| CB 710 | |
| CB 725 | |
| CB 740 | |
| CB 910 | |
| CB 920 | |
| CB 930 | |
| CB 950 | |
| CB 970 | |
| CB 990 | |
| CBH 990 | |

| | |
|---------|---------------|
| CB 9900 | WH-1 |
| | SH-5 |
| | BL-3 |
| | RED-2 |
| | YEL & BK- N/C |

| | |
|---------|-----------|
| CB 720B | WH-1 |
| | SH & BL-4 |
| | RED-2 |
| | BK-3 |
| | YEL-N/C |

| | |
|--------|---------------|
| CB 770 | WH-1 |
| | SH-3 |
| | BL-4 |
| | RED-2 |
| | YEL & BK- N/C |

| | |
|---------|--------------|
| CB 9600 | WH-2 |
| | SH-1 |
| | BL-4 |
| | RED-3 |
| | YEL & BK-N/C |

| | |
|----------|--------------|
| CBR 9700 | WH-1 |
| CBR 9940 | SH-3 |
| | BL-5 |
| | RED-2 |
| | YEL & BK-N/C |

| | |
|------------------|-----------|
| CBR 9950 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| **NOT COMPATIBLE | YEL-4 |
| WITH SE PLUS | BK-5 |

BROWNING

| | |
|-----------------------|---------------|
| EAGLES-23 | WH-1 |
| MARK II SSE | SH & BL-SHELL |
| GOLDEN EAGLE | RED-2 |
| GOLDEN EAGLE MARK II | YEL & BK-N/C |
| GOLDEN EAGLE MARK III | |

**USE HI-Z MIC ONLY

BROWNING (cont')

| | |
|--------------|---------------|
| GOLDEN EAGLE | WH-1 |
| MK IV | SH & BL-3 |
| GOLDEN EAGLE | RED-2 |
| MK IVA | YEL & BK- N/C |
| LTD | WH-2 |
| SST | SH-1 |
| BROWNIE | BL-4 |
| SABRE | RED-3 |
| SST-2 | YEL & BK-N/C |
| BARON | |
| EAGLETTE | WH-AUDIO |
| | SH & BL-GRND |
| | RED-RELAY |
| | YEL & BK- N/C |

**HI-Z USE AMPLIFIED MIC ONLY

CARDON

| | |
|-----------------------|---------------|
| ATLAS MARK V | WH-1 |
| ASTRO 23 | SH & BL-2 |
| APACHE | BK-3 |
| | RED-4 |
| | YEL & BK- N/C |
| COMMAND CB 727 | WH-AUDIO |
| UNIVERSE CB 747 | SH & BL-GRND |
| VENTURA SSB | RED-RELAY |
| TYCOON CB 707 | YEL & BK- N/C |
| GALAXY TWIN | |
| VANGUARD | |
| APPOLLO/ULTRA 15W | |
| PHANTOM 23C | WH-1 |
| | SH & BL-2 |
| | RED-4 |
| | YEL & BK-N/C |
| SPITFIRE | WH-1 |
| MARK II | SH & BL-4 |
| | RED-2 |
| | YEL & BK-N/C |
| ALGOINQIUN | WH-1 |
| | SH & BL-2 |
| **10K to 50K resistor | RED-4 |
| in Audio line to stop | BK-3 |
| squeling in receive. | YEL-N/C |

CHANNEL MASTER

| | |
|---------|--------------|
| CB 6830 | WH-2 |
| CB 6835 | SH & BL-4 |
| CB 6832 | RED-3 |
| CB 6834 | YEL & BK-N/C |
| CB 6831 | BK-1 |

CHEROKEE

| | | | |
|-----------|------|-------|-------|
| 4 PIN | WH-2 | 5 PIN | WH-1 |
| RED-3 | | | SH-2 |
| BK-4 | | | BK-3 |
| SH & BL-1 | | BL-4 | RED-5 |

CHRYSLER

| | |
|---------|--------------|
| 4048076 | WH-1 |
| 4048077 | SH-3 |
| | BL-5 |
| | RED-2 |
| | YEL & BK-N/C |

CITIZEN

| | |
|----------------|-----------|
| BPL 524-77 | WH-1 |
| MPL 2-77 | SH & BL-3 |
| MPL 3-77 | RED-2 |
| SSB-M6-5-3 & 2 | BK-5 |
| | YEL-N/C |

CLARICON

| | |
|-------------------|--------------|
| 30400 (PIRATE) | WH-2 |
| | SH & BL-5 |
| | RED-4 |
| | YEL & BK-N/C |
| 30850 | WH-4 |
| | SH & BL-1 |
| | RED-3 |
| | BK-5 |
| | YEL-N/C |
| 30800 (ACTIVATOR) | WH-2 |
| 30600 (PRIVATEER) | SH & BL-1 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |
| 30200 | WH-AUDIO |
| | SH & BL-GND |
| | RED-CONTROL |
| | BK-SPEAKER |
| | YEL-N/C |
| 14-523 | WH-AUDIO |
| | SH & BL-GND |
| | RED-RELAY |
| | YEL & BK-N/C |

CLEGG VENUS

RING-WH
TIP-RED
SLEEVE-SH & BL

COBRA

| | |
|----|--------------|
| 20 | WH-AUDIO |
| 24 | SH & BL-GND |
| | RED-RELAY |
| | YEL & BK-N/C |
| 6 | WH-AUDIO |
| | SH & BL- GND |
| | RED-CONTROL |
| | BK-SPEAKER |
| | YEL- N/C |

COBRA (cont')

| | |
|---------------------------|-------------|
| 18 ULTRA | WH-2 |
| 18 LTD | SH & BL-1 |
| 19 | RED-3 |
| 19 ULTRA,GTL | BK-4 |
| 21 | YEL- N/C |
| 21 PLUS, GTL, XLR, LTD | |
| 25 GTL, PLUS, LTD | |
| 25 LTD CLASSIC GOLD | |
| 25 WX CLASSIC | |
| 26 | |
| 29 | |
| 29XLR, GTL, PLUS | |
| 29 LTD GOLD | |
| 29 LTD WX GOLD | |
| 29 LTD CLASSIC GOLD | |
| 31 PLUS | |
| 33 PLUS | |
| 40 PLUS | |
| 77X, 78X | |
| 86 XLR | |
| 87 GTL | |
| 93 LT DWX | |
| CAM 89 | |
| 89 GTL, 89 XLR | |
| 135 | |
| 135 XLR | |
| 138 XLR | |
| 139 XLR | |
| 146 GTL | |
| 148 GTL-DX | |
| 148 GTL-B | |
| 1000GTL | |
| 410 | |
| 148 GTL ST | |
| 18RV | WH-1 |
| 18 PLUS | SH & BL-4 |
| 19X, PLUS | RED-2 |
| 20 LTD | BK-5 |
| 20 PLUS | YEL-N/C |
| 23 PLUS | |
| 41 PLUS | |
| 90 GTL | WH-1 |
| 140 GTL | SH-2 |
| 142 GTL | BL-4 |
| 148 GTL | RED-5 |
| 2000 GTL | BK-3 |
| 2010 | YEL-N/C |
| 23 | WH-AUDIO |
| 27 | SH & BL-GND |
| V | RED-CONTROL |
| | BK-SPEAKER |
| | YEL- N/C |

COBRA (cont')

| | |
|--------------|----------------|
| 25 | WH-3 |
| | SH-1 |
| | BL-4 |
| | RED-2 |
| | YEL & BK N/C |
| 28A | WH-2 |
| 28 | SH & BL-1 |
| 32 XLR | RED-3 |
| 46 XLR | BK-4 |
| 86 XLR | YEL N/C |
| 130 | |
| 131 | |
| 132, 132A | |
| 135, 135 XLR | |
| 138 XLR | |
| 139, 139 XLR | |
| 880 | |
| CAM 88 | WH-1 |
| 98 | SH-2 |
| | BL-4 |
| | RED-3 |
| | YEL & BK-N/C |
| 138 | WH-TIP |
| 139 | SH & BL-SLEEVE |
| | RED-RING |
| | YEL & BK-N/C |
| 45 XLR | WH-2 |
| 148 GTL DX | SH & BL-1 |
| | RED-3 |
| | YEL & BK-N/C |

COLLINS

| | |
|---------|----------------|
| KWM 380 | RING-WH |
| KWM 2 | TIP-RED |
| 3253 | SLEEVE-SH & BL |

COLT

| | |
|-------------------------------|--------------|
| 210 | WH-1 |
| 220 | SH-3 |
| 222 | BL-4 |
| 510 | RED-2 |
| | BK-5 |
| | YEL N/C |
| 900 | WH-1 |
| | SH-4 |
| | BL-3 |
| | RED-2 |
| | YEL & BK-N/C |
| **HI-Z USE AMPLIFIED MIC ONLY | |
| 290 | WH-1 |
| 390 | SH & BL-2 |
| 480 | RED-4 |
| 485 | BK-3 |
| 800 | YEL N/C |
| 870 | |
| 1000 | |
| 1200 | |
| 2400 | |

COLT (cont')

| | |
|-----|---------|
| 350 | WH-4 |
| | SH-2 |
| | BL-3 |
| | RED-5 |
| | BK-1 |
| | YEL N/C |

COMEX COMMUNICATION

| | |
|---------|-----------|
| CCB-770 | WH-1 |
| | SH & BL-6 |
| | RED-5 |
| | BK-4 |
| | YEL-N/C |

COMMAND ELECTRONICS

| | |
|----------|--------------|
| THE STAR | WH-2 |
| | SH & BL-1 |
| | RED-3 |
| | YEL & BK-N/C |

**HI-Z USE AMPLIFIED MIC

COMMTRON

| | |
|------|-----------|
| CXX | WH-1 |
| XIII | SH & BL-3 |
| | RED-2 |
| | BK-5 |
| | YEL-N/C |

CONNEX

| | |
|------|--------------|
| 3300 | WH-2 |
| | SH & BL-1 |
| | RED-3 |
| | YEL & BK-N/C |

CORNELL-DUBLIER

| | |
|---------|-----------|
| MARK X | WH-1 |
| MARK 20 | SH & BL-3 |
| | RED-2 |

**HI-Z USE AN AMPLIFIED MIC ONLY

| | |
|---------|-----------|
| MARK 12 | WH-1 |
| | SH & BL-4 |
| | RED-2 |
| | BK-3 |
| | YEL-N/C |

| | |
|---------|--------------|
| MARK 26 | WH-2 |
| | SH-4 |
| | BL-1 |
| | RED-3 |
| | YEL & BK-N/C |

COURIER (FANNON)

| | |
|------------|--------------|
| CITATION | WH-1 |
| CLASSIC II | SH & BL-3 |
| | RED-2 |
| | YEL & BK-N/C |

COURIER (FANNON) (cont')

| | |
|---------------|---------------|
| COURIER 23 | WH-3 |
| COURIER 23+ | SH & BL-4 |
| FLEET COURIER | RED-2 |
| FLEET COURIER | YEL & BK- N/C |
| 30B | |
| ROYALE | |

**HI-Z, USE AN AMPLIFIED MIC ONLY

| | |
|----------|-----------|
| CHIEF 23 | WH-4 |
| | SH & BL-3 |
| | RED-1 |
| | BK-2 |
| | YEL-N/C |

| | |
|------------|---------|
| COURIER 1M | WH-3 |
| | SH-4 |
| | BL-2 |
| | RED-4 |
| | BK-1 |
| | YEL-N/C |

| | |
|----------------|-----------|
| BLAZER | WH-2 |
| CARAVELLE 40D | SH & BL-4 |
| CLASSIC III | RED-3 |
| CLASSIC PLL 40 | YEL-N/C |
| CRUISER | BK-1 |
| CONQUEROR 40D | |

| | |
|---------------|--|
| FANFARE 185DF | |
| FANFARE 184DF | |
| FANFARE 182F | |
| FANFARE 125F | |
| FANFARE 880DF | |

| | |
|-------------|--|
| REDBALL | |
| RANGLER 40D | |
| RENEGADE 40 | |
| ROGUE 40 | |

| | |
|--------------|-----------------|
| SFT-800A | WH-AUDIO |
| COURIER TR-5 | SH & BL- GND |
| TRAVELLER | RED-VOLT SOURCE |
| | BK-SPEAKER XFMR |
| | YEL-N/C |

| | |
|-------------|-----------|
| RANGER 23 | WH-3 |
| RAVELLER II | SH & BL-4 |
| | RED-2 |
| | BK-1 |
| | YEL- N/C |

| | |
|----------|--------------|
| CADET 23 | WH-AUDIO |
| | SH & BL-GND |
| | RED-RELAY |
| | YEL & BK-N/C |

| | |
|-------------|-----------|
| FANFARE 700 | WH-1 |
| SFT 400 | SH & BL-2 |
| SFT 500 | RED-3 |
| | BK-5 |
| | YEL-N/C |

COURIER (FANNON) (cont')

| | |
|---------------|----------------|
| CARVELLE | WH-TIP |
| CARVELLE II | SH & BL-SLEEVE |
| CENTURION | RED-RING |
| CENTURION 40D | YEL & BK-N/C |
| CONQUERER | |
| CONQUERER II | |
| FANFARE 880 | |
| FANFARE 350F | |
| GLADIATOR | |
| SPARTAN SSB | |

| | |
|-------------|------------|
| FANFARE 100 | WH-YEL |
| REBEL 23+ | SH & BL-SH |
| | RED-RED |
| | YEL-N/C |
| | BK-BL |

| | |
|--------|--------------|
| STF600 | WH-2 |
| | SH & BL-1 |
| | RED-3 |
| | YEL & BK-N/C |

| | |
|--------|---------|
| GALAXY | WH-1 |
| | SH-2 |
| | BL-4 |
| | RED-5 |
| | BK-3 |
| | YEL N/C |

| | |
|-------------|-----------|
| COMET | WH-2 |
| SFT-700 | BL & SH-1 |
| SFT-900 | RED-4 |
| (GUARDSMAN) | BK-3 |
| | YEL-N/C |

| | |
|-------------|------------|
| FANFARE 120 | WH-YEL |
| | SH & BL-SH |
| | RED-WH |
| | BK-BK |
| | YEL-N/C |

| | |
|---------------|------------|
| FANFARE 100F1 | WH-WH |
| REBEL 40A | SH & BL-SH |
| REBEL PLL | RED-RED |
| | BK-BK |
| | YEL-N/C |

CRAIG

| | |
|------|-----------|
| 4101 | WH-2 |
| 4102 | SH & BL-3 |
| 4103 | RED-5 |
| 4104 | BK-4 |
| 4201 | YEL N/C |
| L101 | |
| L102 | |
| L231 | |
| L331 | |

CRAIG (cont')

| | |
|------|-----------|
| L103 | WH-2 |
| L104 | SH & BL-1 |
| | RED-3 |
| | BK-4 |
| | YEL N/C |

| | |
|------|-----------|
| L131 | WH-2 |
| | SH & BL-4 |
| | RED-5 |
| | BK-3 |
| | YEL N/C |

CYBERNET

| | |
|----------|-----------|
| BETA 100 | WH-1 |
| | SH & BL-2 |
| | BK-3 |
| | RED-4 |

DEERSLAYER

| | |
|-----|---------|
| 240 | WH-1 |
| | BK-2 |
| | RED-3 |
| | SH-5 |
| | YEL-N/C |

DELCO

| | |
|-------------|-----------|
| CBD10 | WH-1 |
| 1977 SERIES | SH & BL-2 |
| 1979 SERIES | RED-4 |
| | BK-3 |
| | YEL-N/C |

| | |
|-------------|---------|
| 1978 SERIES | WH-1 |
| 90BFMC1 | SH-5 |
| 90BFPC1 | BL-2 |
| 90YFMC1 | BK-3 |
| | RED-4 |
| | YEL-N/C |

DEMCO

| | |
|-----------|--------------|
| SATELITE | WH-2 |
| TRAVELIER | SH & BL- 1 |
| | RED-3 |
| | YEL & BK-N/C |

**HI-Z USE AMPLIFIED MIC

| | |
|-----------------|-----------|
| SATELITE DELUXE | WH-4 |
| | SH & BL-1 |
| **HI-Z USE | RED-3 |
| AMPLIFIED MIC | BK-2 |
| ONLY | YEL-N/C |

| | |
|---------|----------------|
| RAVELLE | WH-RING |
| | SH & BL-SLEEVE |
| | RED-TIP |

**HI-Z USE AMPLIFIED MIC ONLY

DIRLAND

| | |
|---------|-------|
| 77-099 | WH-2 |
| SS 3900 | SH-1 |
| | RED-3 |
| | BK-4 |

DRAKE

| | |
|--------|----------------|
| TR-270 | WH-1 |
| | RED-2 |
| | SH & BL-4 |
| TR4 | C & B |
| | LINES |
| | RED-TIP |
| | WH-RING |
| | SH & BL-SLEEVE |

EICO

| | |
|------|-----------|
| 7723 | WH-1 |
| | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |

EMPEROR

| | |
|-----------|-----------|
| TS-3010 | WH-1 |
| TS5010 | SH & BL-2 |
| | RED-3 |
| OR | RED-1 |
| | WH-2 |
| | SH & BL-3 |

EURO

| | |
|------|-----------|
| 3900 | SH & BL-1 |
| | WH-2 |
| | RED-3 |
| | BK-4 |

EXCALIBUR

| | |
|-----|--------------|
| SSB | WH-2 |
| | SH & BL-1 |
| | RED-3 |
| | YEL & BK-N/C |

FIELD MASTER

| | |
|------------------|---------------|
| MICRONINI3 | WH-1 |
| MICRONINI6 | SH-6 |
| MICRONINI23 | YEL-2 |
| | BL-4 |
| **NOT COMPATIBLE | RED-5 |
| WITH SE PLUS | BK-3 |
| TR18A | WH-1 |
| TR-18M | SH & BL-3 |
| | RED-2 |
| | YEL & BK- N/C |
| MF-1001 | WH-5 |
| | SH & BL-2 |
| | RED-1 |
| | YEL & BK- N/C |

FORMAC

| | |
|-----|-----------|
| 400 | WH-1 |
| 700 | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |

FUKUYANA

| | |
|-----------|-------|
| FDK | SH-1 |
| KLM MULTI | WH-2 |
| 2000A | RED-3 |
| | BL-4 |

GALAXY

| | |
|--------------|-----------|
| SATURN TURBO | WH-2 |
| DX 959 | SH & BL-1 |
| DX 73V | RED-3 |
| 2527 DX | BK-4 |
| | YEL-N/C |
| 2100 | WH-2 |
| 2517 | SH & BL-1 |
| 33 PLUS | RED-3 |
| DX 33HML | BK-4 |
| DX44V | YEL- N/C |
| DX55V | |
| DX66V | |
| DX77HML | |
| DX 77V | |
| DX 88HML | |
| JUPITOR | |
| MARS | |
| MIRAGE | |
| MIRAGE 44 | |
| 99 | |
| PLUTO | |
| SATURN | |
| SATURN II | |
| SIRIUS | |
| SUPER GALAXY | |

MELAKA

2547

949

GE

| | |
|-------------------|-----------|
| 3-5800,3-5801A | WH-4 |
| 3-5804B,G | SH & BL-1 |
| 3-5806, 3-5806A | RED-3 |
| 3-5808A | BK-5 |
| 3-5809, 3-5809B | YEL-N/C |
| 3-5809C | |
| 3-5810 A, B | |
| 3-5811B | |
| 3-5818A | |
| 3-5871, 3-5871A,B | |

GE (cont')

| | |
|-----------------|-----------|
| 3-5802, 3-5804D | WH-1 |
| 3-5812A | SH & BL-2 |
| 3-5813 A, B | BK-3 |
| 3-5814 A, B | RED-4 |
| 3-5817A | |
| 3-5818 . | |
| 3-5819A | |
| 3-5825A | |
| 3-5869A | |
| 3-5873 . | |
| 3-5875A | |

GENERAL

| |
|-----------|
| SH & BL-1 |
| WH-2 |
| RED-3 |
| BK-4 |

GEMTRONICS

| | |
|----------|-----------|
| GXT 3000 | WH-1 |
| | SH & BL-3 |
| | RED-2 |
| | BK-5 |
| | YEL- N/C |
| GTX 23 | WH-1 |
| GTX 36 | SH & BL-2 |
| GTX 44 | RED-4 |
| GTX 55 | BK-3 |
| GTX 66 | YEL-NC |
| GTX 77 | |
| GTX 3323 | |
| GTX 4040 | |
| GR 11930 | |
| 3325 | |

| | |
|----------|--------------|
| GTX 2325 | WH-1 |
| GR-11935 | SH-4 |
| | BL-3 |
| | RED-2 |
| | YEL & BK-N/C |

| | |
|----------|--------------|
| GTX 2300 | WH-1 |
| CB11923 | SH-4 |
| GTX 5000 | BL-3 |
| | RED-2 |
| | YEL & BK-N/C |

| | |
|--------|-----------|
| GT 230 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | BK-4 |
| | YEL-N/C |

GRANADA

| | |
|------|--------------|
| CB-7 | WH-2 |
| | SH & BL-1 |
| | RED-4 |
| | YEL & BK-N/C |

GM

| | |
|-------------------------------|---------|
| GM123A | WH-WH |
| 995432 | SH-SH |
| 4120 | YEL-YEL |
| 4145 | BL-RED |
| 4175 | RED-BL |
| 4230 | BK-BK |
| **NOT COMPATIBLE WITH SE PLUS | |

| | |
|------------------|---------|
| CBD-12 | WH-WH |
| 7898540 | SH-SH |
| | YEL-YEL |
| | BL-BK |
| **NOT COMPATIBLE | RED-BL |

| | |
|--------------|-----------|
| WITH SE PLUS | BK-DR |
| CB-4 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | BK-5 |
| | YEL-N/C |

HALLICRAFTERS

| | |
|-----|---------|
| 261 | WH-1 |
| | SH-4 |
| | BL-6 |
| | RED-3 |
| | BK-5 |
| | YEL-N/C |

HAM

| | |
|--------------|-----------|
| MULTIMODE II | WH-1 |
| JUMBO | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |

HAMDIC

| | |
|------|--------------|
| 2305 | WH-2 |
| | SH-1 |
| | BL-4 |
| | RED-3 |
| | YEL & BK-N/C |

| | |
|---------------|-------|
| 240 | WH-1 |
| | SH-3 |
| **HI-Z USE | BL-6 |
| AMPLIFIED MIC | RED-2 |
| ONLY, NOT | BK-4 |
| COMPATIBLE | YEL-5 |
| W/SE PLUS | |

| | |
|---------------|-------|
| 230 | WH-4 |
| | SH-3 |
| **HI-Z USE | BL-2 |
| AMPLIFIED MIC | RED-6 |
| ONLY, NOT | BK-5 |
| COMPATIBLE | YEL-1 |
| WITH SE PLUS | |

HAMDIC (cont')

235
305 **NOT COMPATIBLE
605
605L
360S

HARLEY

WH-1
SH-4
BL-6
RED-7

HEATHKIT

SB-104 WH-1
HW-101 RED-2
SH & BL-SPRING ON
THE CONNECTOR

HITACHI

CM-2375H WH-4
CM-2400C SH-1
CM-2400H BL-2
CM-2425H RED-3
CM-4800C BK-5
CM-4800H YEL-N/C

HY GAIN

603 (23 PLUS) WH-1
SH-4
**HI-Z USE BL-3
AMPLIFIED MIC RED-2
ONLY YEL & BK-N/C

672 (HYRANGE III) WH-1
673 (HYRANGE IV) SH & BL-2
674 (HYRANGE V) RED-3
YEL & BK-N/C

670 WH-1
HYRANGE I SH-4
BL-3
RED-2
BK-5
YEL- N/C

2701X WH-1
RED-2
SH & BL-3
BK-5

623 WH-RING
UTOPIA SH-SLEEVE
BL-SLEEVE
RED-TIP

YEL & BK N/C

2679
HY-GAIN 9 **NOT COMPATIBLE
2679A

HY GAIN (cont')

708 WH-1
671B SH & BL-3
672B RED-2
673B BK-5
681 YEL- N/C

682
683
2680
2681
2682

2683
2701
2702
2703
2705

3077

3078

3084, 3087 **HI-Z USE

3107 AMPLIFIED

3114 MIC ONLY

I-COM

IC-280 WH-1

701 SH & BL-4
RED-2
YEL & BK-N/C

706 RED-4

2100H SH-5
WH-6
BL-7

2350H RED-4

2000H BL-5
WH-6
SH-7

IC 910 WH-1

IC 718 SH-7

IC 746 BL-6

IC 735 RED-5

IC 736 YEL & BK-N/C

IC 737

IC 707

IC 756

IC 745

IC 720A

IC 751A

IC 728

IC 725

JIL

606CB WH-1

SH-2

BL-5

RED-3

YEL & BK-N/C

JANA ELECTRONICS, LTD.

| | |
|--------------------|------------------------------------|
| KJSSB-100 | WH-3 |
| DOMINATOR | BL & SH-2 RED-1 YEL & BK-N/C |
| KJCB-32 | WH-RING |
| AGGRESSOR | SH & BL- SLEEVE RED-TIP |
| **HI-Z USE | YEL & BK- N/C |
| AMPLIFIED MIC ONLY | |
| KJCB-91 | WH-2 |
| (INTERCEPTOR) | SH & BL-1 |
| KJCB-91 | RED-3 |
| (VINDICATOR) | BK-4 |
| KJCB-520 | YEL- N/C |
| (AVENGER) | |
| KJCB-420 | |
| (INITATOR) | |
| KJCB-440 | |
| (ACTIVATOR) | |

E.F. JOHNSON

| | |
|----------------------------|-----------------------|
| MESSENGER I | WH-WH |
| MESSENGER II | SH& BL-SH RED-BK |
| **HI-Z USE | YEL- N/C |
| AMPLIFIED MIC ONLY | BK-RED |
| MESSENGER 100 | WH-AUDIO |
| MESSENGER 110 | SH & BL-GND |
| MESSENGER 123 | RED-RELAY |
| **HI-Z USE | BK-SPEAKER |
| AMPLIFIED MIC ONLY | YEL- N/C |
| MESSENGER 223 | WH-1 SH & BL-4 |
| **HI-Z USE | RED-3 |
| AMPLIFIED MIC ONLY | BK-2 YEL- N/C |
| MESSENGER 122 | WH-WH |
| MESSENGER 123A | SH-SH |
| MESSENGER 123B | YEL-YEL |
| MESSENGER 123SJ | BL-RED |
| MESSENGER 132 | RED-BL |
| MESSENGER 125 | BK-BK |
| MESSENGER 191 | |
| VIKING 200 | |
| MESSENGER 323A | |
| MESSENGER 4120 | |
| MESSENGER 4135 | |
| MESSENGER 4140 | |
| MESSENGER 4145 | |
| MESSENGER 4230 | |
| **NOT COMPATIBLE W/SE PLUS | |
| 4250 | WH-2 SH-6 |
| **HI-Z USE | BL-4 |
| AMPLIFIED MIC ONLY | RED-3 YEL & BK-N/C |

E.F. JOHNSON (cont')

| | |
|--|--|
| MESSENGER 250 | WH-1 SH-CASE |
| **HI-Z USE | YEL-4 |
| AMPLIFIED MIC ONLY, NOT COMPATIBLE W/SE PLUS | BL-2 RED-5 BK-3 |
| MESSENGER 350 | **CONSULT ASTATIC |
| MESSENGER 351 | WH-AUDIO |
| MESSENGER 111 | SH & BL-GND |
| MESSENGER 300 | RED-RELAY |
| MESSENGER 320 | YEL & BK-N/C |
| MESSENGER 323 | |
| MESSENGER 323M | |
| **HI-Z USE AN AMPLIFIED MIC ONLY | |
| MESSENGER 124 | WH-1 |
| MESSENGER 124M | SH-2 BL-4 RED-3 |
| **HI-Z USE AN AMPLIFIED MIC ONLY | |
| MESSENGER 120 | WH-WH |
| MESSENGER 121 | SH & BL-RED |
| MESSENGER 210T | RED-BL |
| MESSENGER 120A | BK-BK |
| MESSENGER 121A | YEL-YEL |
| **HI-Z USE AN AMPLIFIED MIC ONLY, NOT COMPATIBLE W/SE PLUS | |
| 121A | WH-WH SH-SH YEL-N/C BL-BRN RED-BL BK-BK |
| MESSENGER 40 | WH-1 |
| MESSENGER 50 | SH-6 |
| MESSENGER 80 | YEL-4 |
| MESSENGER 4170 | BL-2 |
| MESSENGER 4175 | RED-5 |
| VIKING 230 | BK-3 |
| VIKING 260 | |
| VIKING 270 | |
| VIKING 430 | |
| **HI-Z USE AMPLIFIED MIC ONLY, NOT COMPATIBLE W/SE PLUS | |
| MESSENGER 4230 | WH-4 SH-SHELL BL-1 RED-3 BK-2 YEL-5 |
| MESSENGER 4730 | WH-1 SH & BL-5 |
| **HI-Z USE | RED-2 |
| AMPLIFIED MIC ONLY | YEL & BK-N/C |

E.F. JOHNSON (cont')

| | |
|-----------------|--------------|
| VIKING 352 | WH-1 |
| VIKING 352D | SH-SHELL |
| MESSSENGER 4740 | BL-5 |
| | RED-2 |
| **HI-Z USE | YEL & BK-N/C |

AMPLIFIED MIC ONLY

| | |
|-----------------|--------------|
| MESSSENGER 130 | WH-1 |
| MESSSENGER 130A | SH-5 |
| MESSSENGER 132 | BL-3 |
| | RED-4 |
| **HI-Z USE | YEL & BK-N/C |

AMPLIFIED MIC ONLY

K-40

| | |
|-----------|-----------|
| MODEL # 1 | WH-1 |
| MODEL # 2 | SH & BL-2 |
| MODEL # 3 | RED-4 |
| MODEL # 6 | BK-3 |
| | YEL-N/C |

KENWOOD

| | |
|---------------|--------------|
| TS-820 | WH-1 |
| | SH-4 |
| **HI-Z USE | BL-2 |
| AMPLIFIED MIC | RED-3 |
| ONLY | YEL & BK-N/C |

| | |
|---------|--------------|
| TR-2200 | WH-1 |
| | SH & BL-3 |
| | RED-2 |
| | YEL & BK-N/C |

| | |
|---------|--------------|
| TS-840S | WH-1 |
| | SH & BL-7 |
| | OR SH-7 |
| | RED-2 |
| | BL-8 |
| | YEL & BK-N/C |

| | |
|---------|--------------|
| TS-520 | WH-1 |
| TS-599A | SH-4 |
| TS-820S | BL-3 |
| TS-830S | RED-2 |
| TS-530S | YEL & BK-N/C |

| | |
|-------------------|--------------|
| 180S | |
| MOST 4 PIN RADIOS | WH-1 |
| | SH-4 |
| | BL-3 |
| | RED-2 |
| | YEL & BK-N/C |

| | |
|-------------------|--------------|
| MOST 5 PIN RADIOS | WH-1 |
| | SH-4 |
| | BL-5 |
| | RED-2 |
| | YEL & BK-N/C |

KENWOOD (cont')

| | |
|-------------------|-----------|
| MOST 6 PIN RADIOS | WH-1 |
| | SH & BL-6 |
| | RED-2 |
| | YEL & BK |
| | N/C |

| | |
|-------------------|--------------|
| MOST 8 PIN RADIOS | WH-1 |
| TS-140S | SH-7 |
| TS-450 | BL-8 |
| TS-440 | RED-2 |
| TS-140HF | YEL & BK-N/C |

| | |
|---------|--|
| TS-570D | |
| TS-870 | |

| | |
|--------|--|
| TS-940 | |
|--------|--|

| | |
|--------|--|
| TS-850 | |
|--------|--|

| | |
|---------|--|
| TS-2000 | |
|---------|--|

| | |
|-------|-------|
| TMV7A | BL-3 |
| | RED-4 |
| | SH-5 |

| | |
|--|------|
| | WH-6 |
|--|------|

KRACO

| | |
|------|-----------|
| 2310 | WH-1 |
| 2320 | SH & BL-2 |
| 2330 | RED-4 |
| 2345 | BK-3 |
| 2355 | YEL-N/C |

| | |
|---------|--|
| 2320A,B | |
|---------|--|

| | |
|----------|--|
| KCB 4001 | |
|----------|--|

| | |
|----------|--|
| KCB 4005 | |
|----------|--|

| | |
|--------------------|--|
| KCB 4010, KCB 4020 | |
|--------------------|--|

| | |
|--------------------|--|
| KCB 4030, KCB 4045 | |
|--------------------|--|

| | |
|----------|--------------|
| KCB 2370 | WH-5 |
| | SH & BL-3 |
| | RED-1 |
| | YEL & BK-N/C |

| | |
|----------|--------------|
| KCB 1401 | WH-1 |
| KCB 4003 | SH-4 |
| | BL-2 |
| | RED-3 |
| | YEL & BK-N/C |

| | |
|----------|--------------|
| KCB 4070 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | YEL & BK-N/C |

| | |
|----------|------|
| KCB 1307 | WH-1 |
| | SH-6 |
| | BL-4 |

| | |
|------------------|-------|
| **NOT COMPATIBLE | RED-5 |
| W/SE PLUS | YEL-2 |
| | BK-3 |

| | |
|----------|-----------|
| KCB 4088 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | BK-4 |
| | YEL - N/C |

KRACO (cont')

| | |
|----------|-----------|
| KCB 4004 | WH-2 |
| | SH & BL-1 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |

| | |
|----------|------------|
| KCB 4000 | WH-YEL |
| KCB 4007 | SH & BL-SH |
| | RED-RED |
| | BK-VIO |
| | YEL-N/C |

KRIS

| | |
|------|--------------|
| T23B | WH-AUDIO |
| 99ER | SH & BL-GND |
| VEGA | RED-RELAY |
| | YEL & BK-N/C |

| | |
|-----------|--------------|
| XL 23 | WH-1 |
| XL 23A | SH & BL-2 |
| XL 25 | RED-3 |
| XL 50, 70 | YEL & BK-N/C |

| | |
|---------------|--------------|
| 23+ | WH-1 |
| | SH-4 |
| **HI-Z USE | BL-3 |
| AMPLIFIED MIC | RED-2 |
| | YEL & BK-N/C |

| | |
|---------|-----------|
| VENTURA | WH-1 |
| VALIENT | SH & BL-2 |
| | RED-3 |
| | BK-4 |
| | YEL-N/C |

| | |
|---------------|-----------|
| VICTOR | WH-1 |
| VICTOR II | SH & BL-2 |
| | RED-3 |
| **HI-Z USE | BK-4 |
| AMPLIFIED MIC | YEL-N/C |
| ONLY | |

KRYPTON

| | |
|--------|-----------|
| BETA I | WH-1 |
| | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |

LAFAYETTE

| | |
|------------|-----------|
| COMSTAT 19 | WH-1 |
| COMSTAT 23 | SH & BL-4 |
| MARK V | RED-2 |
| MARK VI | BK-3 |
| HB 400 | YEL- N/C |

| | |
|------------|--|
| HB 444 | |
| HB 444/24A | |

**HI-Z USE AMPLIFIED MIC ONLY

LAFAYETTE (cont')

| | |
|----------|--------------|
| HE 20B | WH-3 |
| HE 20C | SH-2 |
| HE 20WX | BL-4 |
| HE 20AWX | RED-1 |
| HA 100 | YEL & BK-N/C |

| | |
|--------|--|
| HB 111 | |
| HB 222 | |

**HI-Z USE AMPLIFIED MIC ONLY

| | |
|--------|------|
| HB 200 | WH-3 |
| | SH-4 |

| | |
|------------|--------------|
| **HI-Z USE | BL-2 |
| AMPLIFIED | RED-1 |
| MIC ONLY | YEL & BK-N/C |

| | |
|-----------|--------------|
| MICRO 923 | WH-AUDIO |
| HE 20TA | SH & BL-GND |
| | RED-RELAY |
| | YEL & BK-N/C |

| | |
|---------------|-----------|
| HB 700 | WH-AUDIO |
| | SH-GND |
| SOURCE SUPPLY | BL- +13V |
| TRANS SUPPLY | RED- -13V |
| REC SUPPLY | BK- +13V |
| | YEL- N/C |

**HI-Z USE AMPLIFIED MIC ONLY

| | |
|-----------------|---------------|
| COMSTAT 23 | WH-1 |
| COMSTAT 25A & B | SH-4 |
| COMSTAT 35 | BL-3 |
| | RED-2 |
| **HI-Z USE | YEL & BK- N/C |

AMPLIFIED MIC ONLY

| | |
|----------------|--------------|
| HB 23 | WH-1 |
| HB23A | SH-3 |
| HA 450 | BL-2 |
| HB 500, HB 501 | RED-4 |
| HB 502A | YEL & BK-N/C |

HB 525 A-F

| | |
|----------|--|
| HB 555 | |
| HB 600 | |
| HB 625A | |
| HE 20T | |
| MICRO 12 | |

MICRO 23

| | |
|--------------|------------------|
| TELSAT 23 | TELSTAT 50 |
| TELSAT 25 | TELSTAT SSB50, A |
| TELSAT SSB25 | |
| TELSAT 150 | |
| TELSAT 924 | |
| TELSAT 925 | |

| | |
|---------|-----------|
| HB 115A | WH-3 |
| | SH & BL-4 |

| | |
|---------------|---------|
| **HI-Z | RED-5 |
| AMPLIFIED MIC | BK-1 |
| ONLY | YEL-N/C |

LAFAYETTE (cont')

| | |
|----------------|--------------|
| HB 333 | WH-3 |
| HE 90 | SH & BL-4 |
| | RED-1 |
| **HI-Z USE | BK-5 |
| AMPLIFIED MIC | YEL-N/C |
| ONLY | |
| MICRO 66 | WH-1 |
| | SH-2 |
| | BL-4 |
| | RED-3 |
| | YEL & BK-N/C |
| TELSTAT SSB140 | WH-1 |
| TELSTAT SSB75 | SH-4 |
| MICRO 223 | YEL-N/C |
| HB 1140 | BL-3 |
| HB 1050 | RED-2 |
| HB 950 | BK-5 |
| HB 940 | |
| HB 750 | |
| HB 650 | |
| HB 640 | |
| HB 740 | |

MIDLAND

| | |
|--------------|-----------|
| 151M | WH-1 |
| 202M | SH & BL-4 |
| 77-092 | RED-2 |
| 77-094 | BK-5 |
| 77-099 | YEL- N/C |
| 77-102 | |
| 77-104 | |
| 77-106 | |
| 77-112 | |
| 77-116 | |
| 77-118 | |
| 13-882 | WH-1 |
| | SH-4 |
| | BL-3 |
| | RED-2 |
| | BK-5 |
| | YEL- N/C |
| 13-888 A & B | WH-1 |
| 77-888 | SH-2 |
| | BL-5 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |
| 77-838 | WH-2 |
| 77-849 | SH-7 |
| | BL-6 |
| | RED-4 |
| | BK-12 |
| | YEL- N/C |

MIDLAND (cont')

| | |
|--------------|-----------|
| 13-830 | WH-1 |
| 13-852 | SH & BL-2 |
| 13-853 | RED-4 |
| 13-857 A & B | BK-3 |
| 13-858 | YEL- N/C |
| 13-862 A & B | |
| 13-863B | |
| 13-866 | |
| 13-867 | |
| 13-879B | |
| 13-882 B & C | |
| 13-884 | |
| 13-892 | |
| 13-893 | |
| 13-976 | |
| 76-3000 | |
| 76-858 | |
| 76-860 | |
| 76-863 | |
| 77-003 | |
| 77-002 | |
| 77-004 | |
| 77-005 | |
| 77-021 | |
| 77-101 B & C | |
| 77-145 | |
| 77-150M | |
| 77-155 | |
| 77-157 | |
| 77-160 | |
| 77-200 M | |
| 77-202B | |
| 77-250G | |
| 77-260 | |
| 77-285 | |
| 77-821 | |
| 77-824 B & C | |
| 77-825 | |
| 77-830 | |
| 77-856 | |
| 77-857 | |
| 77-859 | |
| 77-860 | |
| 77-882 | |
| 77-963 | |
| 78-574 | |
| 78-891 | |
| 78-976 | |
| 78-999 | |
| 79-006 | |
| 79-007 | |
| 79-260 | |
| 79-265 | |
| 79-891 | |

MIDLAND (cont')

| | |
|--------|------------------------------------|
| 77-255 | WH-2 SH & BL-1 RED-3 BK-4 |
|--------|------------------------------------|

| | |
|--------|------------------|
| 13-955 | |
| 77-106 | |
| 77-225 | |
| 77-889 | **NOT COMPATIBLE |

| | |
|------------|---------------|
| 77-899 | |
| 79-892 | |
| 79-290 VLI | WH-2 |
| 77-115 VLI | SH & BL-1 |
| 77-113 VLI | RED-3 BK-4 |

**NOTICE VLI IS AFTER SERIAL #

| | |
|--------|------------------------------------|
| 77-130 | WH-4 SH & BL-1 RED-2 BK-3 |
|--------|------------------------------------|

| | |
|-------------------|--------------------------|
| 13-886 | WH-1 |
| 76-886 | SH & BL-3 |
| 77-100 (1000M) | RED-2 BK-5 YEL-N/C |

| | |
|-------------------------------------|------------------------------|
| 63-240 | WH-1 SH & BL-2 |
| **HI-Z USE AMPLIFIED MIC ONLY | RED-3 BK-4 & 5 YEL-N/C |

MONTGOMERY WARD

| | |
|----------|---------------------------------------|
| 702A | WH-1 |
| 774 | SH & BL-2 |
| 775A | RED-4 |
| GEN 828A | YEL & BK-N/C |
| GEN 730A | |
| GEN 696A | WH-1 |
| GEN 716A | SH & BL-2 RED-4 BK-3 YEL-N/C |

| | |
|----------|------------------|
| GEN 680A | **NOT COMPATIBLE |
|----------|------------------|

MOTOROLA

| | |
|----------|------------------|
| CF 925AX | |
| CR 520 | |
| CR 521 | **NOT COMPATIBLE |
| CT 950A | |
| T40001 | |
| T4005A | |
| T4009A | |
| T4010A | |
| T4020A | |
| T4025A | |

NATIONAL

| | |
|------|--------------------------------------|
| NCX3 | RED-TIP WH-RING SH & BL-BARREL |
|------|--------------------------------------|

NORTHSTAR

| | |
|------|------------------------------------|
| 4000 | WH-2 SH & BL-1 RED-3 BK-4 |
|------|------------------------------------|

NU VOX

| | |
|---------|--|
| CB 7000 | WH-1 SH-4 BL-3 RED-2 YEL & BK- N/C |
|---------|--|

| | |
|-------------------------------|-----------------------|
| TC 5020 | WH-1 SH-6 YEL-2 |
| **NOT COMPATIBLE W/SE PLUS | BL-4 RED-5 BK-3 |

PACE

| | |
|---------|---------------|
| 100S | WH-4 |
| 100 ASA | SH & BL-2 |
| 123A | RED-1 |
| 10-2 | YEL & BK- N/C |
| C123A | |
| 133 | |
| 143 | |

| | |
|-------------------------------------|---------------------------|
| TA-2300/B | WH-1 SH & BL-2 |
| **HI-Z USE AMPLIFIED MIC ONLY | BK-3 RED-4 YEL- N/C |

| | |
|----------------|---------------|
| 113 | WH-1 |
| 130 | SH & BL-2 |
| 144 | RED-4 |
| 145 | YEL & BK- N/C |
| 162 | |
| 166 | |
| CB-185 | |
| 1000B & M & MC | |

| | |
|------|------------------|
| 8008 | |
| 8025 | |
| 8041 | |
| 8046 | |
| 8047 | |
| 8092 | |
| 8093 | |
| 8193 | |
| 8014 | **NOT COMPATIBLE |

PACE (cont')

| | |
|--------------------|----------------|
| 8010A | WH-4 |
| 8015A | SH-3 |
| **HI-Z USE | BL-2 |
| AMPLIFIED | RED-1 |
| MIC ONLY | YEL & BK- N/C |
| 8113 | WH-4 |
| 8117 | SH & BL-3 |
| **HI-Z USE | RED-1 |
| AMPLIFIED MIC ONLY | YEL & BK- N/C |
| 8340 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |
| 8155 | WH-1 |
| | SH-2 |
| **HI-Z USE | BL-3 |
| AMPLIFIED MIC | RED-4 |
| ONLY | YEL & BK- N/C |
| 8003 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |
| CBST 23 | WH-1 |
| (SIDETALK 23) | SH-2 |
| | BL-3 |
| | RED-4 |
| | YEL & BK-N/C |
| CB 1023B | WH-TIP |
| | SH & BL-SLEEVE |
| | RED-RING |
| | YEL & BK-N/C |
| 1 | WH-WH |
| 11 | SH & BL-SH |
| 11-S | RED-RED |
| 100 | BK-BK |
| 200 | YEL-N/C |
| 223 | |
| 2300 | |
| (EARLY) | AMPLIFIED MIC |
| 2376 | ONLY |
| 2376 A&B | |
| 2300 (5 PIN PLUG) | WH-5 |
| P2376 | SH & BL-4 |
| 2376A | RED-2 |
| **HI-Z USE | BK-3 |
| AMPLIFIED MIC ONLY | YEL-N/C |
| 8016 | WH-1 |
| | SH & BL-2 |
| | BK-3 |
| | RED-4 |
| | YEL-N/C |

PACE (cont')

| | |
|--------------------|-----------|
| CB76 | WH-4 |
| 2300 | SH & BL-3 |
| 2300C | RED-1 |
| DX2300B | BK-2 |
| **HI-Z USE | YEL-N/C |
| AMPLIFIED MIC ONLY | |

PAL ELECTRONICS

| | |
|-------------|---------------|
| ROAD RUNNER | WH-1 |
| COYOTE | SH-4 |
| | BL-3 |
| | RED-2 |
| | YEL & BK- N/C |

PALOMAR

| | |
|-------------|---------------|
| DIGICOM 100 | WH-1 |
| | SH & BL-3 |
| **HI-Z USE | RED-2 |
| AMPLIFIED | YEL & BK- N/C |
| MIC ONLY | |

| | |
|---------|-----------|
| 21 | WH-2 |
| 49 | SH & BL-1 |
| SSB-500 | RED-3 |
| | BK-4 |
| | YEL- N/C |

| | |
|-------------|----------------|
| SKIPPER 71B | WH-RING |
| SKIPPER 73 | SH & BL-SLEEVE |
| | RED-TIP |
| | YEL & BK- N/C |

****HI-Z USE AMPLIFIED MIC ONLY**

| | |
|------|-----------|
| 4100 | WH-1 |
| | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |

PANASONIC

| | |
|---------|-----------|
| RJ-3200 | WH-2 |
| RJ-3600 | SH & BL-4 |
| RJ-3660 | RED-3 |
| | BK-1 |
| | YEL- N/C |

| | |
|------------|---------------|
| CR-B1717EU | WH-1 |
| CR-B4737EU | SH-3 |
| CR-B4747EU | BL-5 |
| CQ-B5919EU | RED-2 |
| | YEL & BK- N/C |

| | |
|---------|-----------|
| RJ-3100 | WH-1 |
| RJ-3050 | SH & BL-2 |
| RJ-3250 | RED-3 |
| RJ-3150 | BK-4 |
| | YEL-N/C |

PEARCE SIMPSON

| | |
|--------------------|--|
| GUARDIAN 23 & 23B | WH-1 SH & BL-SHELL |
| **HI-Z USE | RED-2 |
| AMPLIFIED MIC ONLY | YEL & BK-N/C |
| BOBCAT 23B | WH-AUDIO |
| SENTRY | SH & BL-GND RED-RELAY YEL & BK-N/C |
| WILDCAT | **CONTACT ASTATIC |
| WILDCAT II | |
| DIRECTOR | WH-WH |
| DIRECTOR (REV) | SH-SH |
| ESCORT 11 | BL-BK RED-RED |
| **HI-Z USE | YEL & BK-N/C |
| AMPLIFIED MIC ONLY | |
| ESCORT | WH-AUDIO SH & BL-SHELL |
| **HI-Z USE | RED-RELAY |
| AMPLIFIED MIC ONLY | YEL & BK- N/C |
| BOBCAT 23 | WH-1 |
| **HI-Z USE | SH & BL-3 |
| AMPLIFIED MIC ONLY | RED-5 YEL & BK- N/C |
| BEARCAT 23 & 23B | WH-1 |
| BENGAL SSB | SH & BL-2 |
| CHEETAH SSB | RED-3 |
| COUGAR 23 | YEL & BK-N/C |
| SIMBA SSB | |
| TIGER 23 | |
| TOMCAT SSB | |
| PANTHER SSB | |
| JAGUAR 8 | WH-2 SH-1 BL-4 RED-3 |
| BEARCAT 23C | WH-1 |
| BOBCAT 23C & E | SH & BL-2 |
| COUGAR 23B | RED-4 |
| GM 23 & 23M | BK-3 |
| LION 40 | YEL - N/C |
| LYNX 23 | |
| PUMA 23 & 23B & C | |
| SUPER LYNX Z | |
| SUPER TIGER40A | |
| TIGER 23B & C | |
| TIGER 40A | |
| TIGER MARK 40 | |
| TIGER MARK II | |

PEARCE SIMPSON (cont')

| | |
|----------------------------|--|
| LEOPARD B | WH-1 SH-3 BL-5 RED-2 YEL & BK-N/C |
| PANTHER | WH-AUDIO SH-GND |
| **NOT COMPATIBLE W/SE PLUS | BL-12V SOURCE RED-TRAN. 12V SUPPLY YEL-SPKR BK-REC 12V SUPPLY |
| 2302 | WH-2 |
| PUSSYCAT 23 | SH & BL-1 RED-4 BK-3 YEL-N/C |
| 2301 | WH-AUDIO |
| TOMCAT 23B | SH & BL-GND |
| ALLEYCAT 23 | RED-CONTROL BK-SPKR YEL- N/C |
| BOBCAT 23D | WH-2 SH & BL-4 RED-1 BK-3 YEL-N/C |
| GM-23B | WH-4 SH & BL-3 RED-1 BK-2 YEL-N/C |

J.C. PENNY

| | |
|----------------------|--|
| 981-6051 | WH-2 |
| (GOLDEN PINTO) | SH & BL-1 |
| 981-6246 | RED-3 |
| 981-6241 | YEL & BK-N/C |
| 981-6225 | |
| 981-6248 | |
| 981-6060 (PINTO 23B) | |
| 981-6075 | WH-AUDIO |
| (PINTO SSB) | SH & BL-GND RED-RELAY YEL & BK- N/C |
| 985-6050 | WH-3 |
| (PINTO 23) | SH & BL-1 RED-2 YEL & BK- N/C |
| 981-6200 | WH-WH |
| 981-6201 | SH & BL-SH RED-GRN BK-RED YEL-N/C |

J.C. PENNY (cont')

| | |
|----------|-----------|
| 981-6204 | WH-1 |
| | SH & BL-3 |
| | RED-2 |
| | BK-5 |
| | YEL-N/C |

| | |
|--------------------------|-----------|
| 981-6216 | WH-2 |
| 981-6218 | SH & BL-1 |
| 981-6214 | RED-3 |
| 981-6247 | BK-4 |
| 981-6203 | |
| 981-6237 | |
| 981-6221 | |
| 981-6215 | |
| 981-6238 | |
| 981-6212 (PINTO) | |
| 981-6220 | |
| (TRANSCIEVER SCANNER) | |
| 981-6235 (PINTO) | |
| 981-6240 | |
| 981-6240A | |
| 981-6213 | |
| 981-6210 (PINTO) | WH-1 |
| 981-6230 (PINTO) | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |

POLYCOM

| | |
|---------------|-----------|
| PC 2-6 | WH-1 |
| PC 2-12 | SH & BL-2 |
| **HI-Z USE | RED-3 |
| AMPLIFIED MIC | BK-4 |
| ONLY | YEL- N/C |

PRESIDENT

**SEE LISTINGS UNDER UNIDEN

PRO STAR

| | |
|-----|-----------|
| 240 | WH-1 |
| | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| 400 | WH-1 |
| | SH & BL-5 |
| | RED-3 |
| | BK-2 |

PYRAMID

| | |
|-------|-----------|
| CB 22 | WH-1 |
| CB 24 | SH & BL-2 |
| CB 25 | RED-4 |
| CB 26 | BK-3 |
| CB 28 | YEL- N/C |

PYRAMID (cont')

| | |
|------|------------|
| 1300 | WH-2 |
| | SH & BL- 1 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |

RANGER

| | |
|----------|-------------|
| ST-1000/ | WH-1 |
| HCA818 | SH & BL-2 |
| | RED-3 |
| | BK-5 |
| | YEL- N/C |
| RCI 2900 | WH-2 |
| RCI 2950 | SH & BL-1 |
| RCI 2970 | RED-3 |
| RCI 2990 | BK-4 OR N/C |
| RCI 2985 | YEL- N/C |
| RCI 2995 | |
| 6900 | |
| 505 ADX | |

**RCI 2950 SOMETIMES BL PIN 5

| | |
|---------|---------------|
| AR 3500 | WH-8 |
| AR 3300 | SH & BL-7 |
| | RED-6 |
| | YEL & BK- N/C |

RAY JEFFERSON

| | |
|--------|----------------|
| 711 | WH-YEL |
| | SH & BL-SH |
| | RED-RED |
| | BK-VIO |
| | YEL- N/C |
| CB 905 | WH-RING |
| | SH & BL-SLEEVE |
| | RED-TIP |
| | YEL & BK-N/C |

| | |
|--------|-----------|
| CB-705 | WH-1 |
| CB-740 | SH & BL-2 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |

| | |
|--------|-----------|
| 701 | WH-1 |
| CB 845 | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL- N/C |

| | |
|---------------|--------------|
| CB 2569 | WH-3 |
| | SH & BL-2 |
| **HI-Z USE | RED-1 |
| AMPLIFIED MIC | YEL & BK-N/C |
| ONLY | |

RAY JEFFERSON (cont')

| | |
|--------|---------|
| CB 707 | WH-RED |
| | SH-SH |
| | BL-BK |
| | RED-YEL |
| | YEL-WH |

| | |
|--------|--------------|
| CB 805 | WH-3 |
| | SH-1 |
| | BL-4 |
| | RED-2 |
| | YEL & BK-N/C |

RCA

| | |
|--------|-----------|
| 14T100 | WH-1 |
| 14T200 | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL- N/C |

| | |
|--------|-----------|
| 14T300 | WH-1 |
| 14T301 | SH & BL-2 |
| 14T303 | RED-4 |
| 14T304 | BK-3 |
| 14T260 | YEL- N/C |

| | |
|--------|---------------|
| 14T270 | |
| 14T400 | WH-1 |
| 14T410 | SH-3 |
| 14T405 | BL-5 |
| | RED-2 |
| | YEL & BK- N/C |

| | |
|--------|------------------|
| 14T305 | **NOT COMPATIBLE |
|--------|------------------|

REALISTIC / RADIO SHACK

| | |
|---------|------------|
| TRC 446 | WH-1 |
| | SH & BL-5 |
| | BK-2 |
| | RED-3 |
| | 4 & 6- N/C |

| | |
|-------|------------------|
| TRC 9 | **NOT COMPATIBLE |
|-------|------------------|

| | |
|---------|--------------|
| TRC 24 | WH-1 |
| TRC 40 | SH & BL-2 |
| TRC 23B | RED-3 |
| | YEL & BK-N/C |

| | |
|---------------|-----------|
| TRC 471 | WH-1 |
| | SH & BL-2 |
| **HI-Z USE | RED-3 |
| AMPLIFIED MIC | BK-4 |
| ONLY | YEL - N/C |

| | |
|---------------|------------|
| TRC 5 | WH-WH |
| | SH & BL-SH |
| **HI-Z USE | RED-BK |
| AMPLIFIED MIC | BK-RED |
| ONLY | YEL- N/C |

| | |
|------------------|-----------|
| TRC 10 | WH-4 |
| | SH & BL-1 |
| **NOT COMPATIBLE | RED-3 |
| W/SE PLUS | BK-2 |
| | YEL-5 |

REALISTIC / RADIO SHACK (cont')

| | |
|----------------|-----------|
| TRC 24A & B | WH-4 |
| TRC 30 & 30A | SH & BL-1 |
| TRC 50A | RED-3 |
| TRC 55, 56, 57 | BK-5 |
| TRC 67 | YEL- N/C |

| | | |
|---------|---------|---------|
| TRC 410 | | |
| TRC 411 | | |
| TRC 412 | | |
| TRC 413 | | |
| TRC 414 | TRC 435 | TRC 461 |

| | | |
|----------------|---------|---------|
| TRC 415 | TRC 440 | TRC 462 |
| TRC 417 | TRC 441 | TRC 465 |
| TRC 418 | | TRC 466 |
| TRC 420 | TRC 448 | TRC 467 |
| TRC 421 & 421A | TRC 449 | TRC 468 |

| | | |
|----------|---------|---------|
| TRC 422A | TRC 450 | TRC 469 |
| TRC 424 | TRC 451 | TRC 470 |
| TRC 425 | TRC 452 | TRC 473 |
| TRC 426 | TRC 453 | TRC 477 |
| TRC 427 | TRC 454 | TRC 479 |

| | | |
|---------|---------|---------|
| TRC 428 | TRC 455 | TRC 480 |
| TRC 430 | TRC 456 | TRC 482 |
| TRC 431 | TRC 457 | TRC 483 |
| TRC 432 | TRC 458 | TRC 490 |
| TRC 433 | TRC 459 | TRC 492 |

| | | |
|---------|----------|---------|
| TRC 434 | TRC 460 | TRC 500 |
| TRC 432 | WH-4 | |
| TRC 451 | SH & BL1 | |
| | RED-3 | |

| | |
|------------------|-------|
| **NOT COMPATIBLE | BK-5 |
| W/SE PLUS | YEL-2 |

| | |
|---------|-----------|
| TRC 50B | WH-4 |
| | SH & BL-2 |
| | RED-3 |
| | BK-1 |
| | YEL- N/C |

| | |
|---------------|--------------|
| TRC 29 | WH-1 |
| (1ST MODEL) | SH-2 |
| | BL-4 |
| **HI-Z USE | RED-3 |
| AMPLIFIED MIC | YEL & BK-N/C |
| ONLY | |

| | |
|-------------|--------------|
| TRC 29 | WH-3 |
| (2ND MODEL) | SH & BL-2 |
| | RED-1 |
| | YEL & BK-N/C |

| | |
|--------------|--------------|
| TRC 46-49 | WH-4 |
| TRC 57 | SH & BL-1 |
| TRC 448, 449 | RED-3 |
| TRC 457, 458 | YEL & BK-N/C |
| TRC 480 | |

| | |
|--------|-----------|
| TRC 8D | WH-3 |
| | SH & BL-4 |
| | RED-1 |
| | BK-1 |

REALISTIC / RADIO SHACK (cont')

| | |
|---------------|--------------|
| TRC 18 | WH-2 |
| | SH-1 |
| **HI-Z USE | BL-3 |
| AMPLIFIED MIC | RED-4 |
| ONLY | YEL & BK-N/C |

| | |
|---------------|--------------|
| TRC X23A | WH-2 |
| | SH-1 |
| **HI-Z USE | BL-4 |
| AMPLIFIED MIC | RED-3 |
| ONLY | YEL & BK-N/C |

| | |
|---------------|---------------|
| AMERICANA 23+ | WH-2 |
| | SH & BL-SHELL |
| **HI-Z USE | RED-1 |
| AMPLIFIED MIC | YEL & BK- N/C |
| ONLY | |

| | |
|---------|-------|
| HTX 100 | WH-1 |
| | RED-2 |
| | SH-7 |
| | BL-8 |

| | |
|--------|------------|
| HTX 10 | WH-1 |
| | BK-2 |
| | RED-3 |
| | SH & BL-5 |
| | 4 & 6- N/C |

REGENCY

| | |
|----------|--------------|
| CB-27 | WH-WH |
| CB-27-6 | SH-SH |
| CB-27-12 | BL-BK |
| | RED-RED |
| | YEL & BK-N/C |

**HI-Z USE AMPLIFIED MIC ONLY

| | |
|------------|--------------|
| FORMULA/23 | WH-1 |
| SPRINT/23 | SH-2 |
| | BL-3 |
| | RED-4 |
| | YEL & BK-N/C |

| | |
|--------|--------------|
| GT 523 | WH-WH |
| | SH-SH |
| | BL-BK |
| | RED-RED |
| | YEL & BK-N/C |

| | |
|---------------|--------------|
| IMPERIAL | WH-1 |
| (CB-253) | SH-4 |
| IMPERIAL II | BL-2 |
| (CB-254) | RED-3 |
| RANGE GAIN II | YEL & BK-N/C |

| | |
|-------------------------------|--------------|
| ROMPER (A-3) | |
| **HI-Z USE AMPLIFIED MIC ONLY | |
| RANGE GAIN | WH-AUDIO |
| RANGER CB 270 | SH & BL-GND |
| **HI-Z USE | RED-RELAY |
| AMPLIFIED MIC ONLY | YEL & BK-N/C |

REGENCY (cont')

| | |
|---------------|-------------|
| MODEL 500 | WH-AUDIO |
| | SH & BL-GND |
| **HI-Z USE | RED-7V |
| AMPLIFIED MIC | BK-SPKR |
| ONLY | YEL- N/C |

| | |
|--------------|--------------|
| CR-142, 185 | WH-1 |
| CR-230 | SH & BL-2 |
| CF-240 | RED-4 |
| SPRINT 23 II | YEL & BK-N/C |

| | |
|---------|--------------|
| CR-123 | WH-TIP |
| | SH & BL-CASE |
| | RED-RING |
| | YEL & BK-N/C |
| CR-123B | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | YEL & BK-N/C |

| | |
|--------|------------|
| CR 186 | WH-YEL |
| | SH & BL-SH |
| | RED-RED |
| | BK-VIO |
| | YEL- N/C |

| | |
|--------|------------|
| CR-202 | WH-BK |
| | SH & BL-SH |
| | RED-RED |
| | BK-VIO |
| | YEL- N/C |

| | |
|--------|-----------|
| CB-501 | WH-4 |
| CB-701 | SH & BL-2 |
| | RED-3 |
| | BK-5 |
| | YEL- N/C |

RELM

| | |
|--------|-----------|
| RMV-60 | WH-4 |
| | SH & BL-2 |
| | RED-3 |
| | 1,5,6-N/C |

RF LIMITED

| | |
|-------------|-----------|
| MAGNUM-257 | WH-1 |
| DELTA FORCE | BK-2 |
| | RED-3 |
| | SH & BL-5 |

ROBERTS

| | |
|--------|--------------|
| RCB-10 | WH-2 |
| | SH & BL-1 |
| | RED-4 |
| | YEL & BK-N/C |
| RBC 15 | WH-1 |
| RBD 55 | SH & BL-2 |
| | RED-3 |
| | BK-5 |
| | YEL- N/C |

ROBERTS (cont')

| | |
|---------|----------|
| R5 CB | WH-1 |
| RCB 470 | SH-4 |
| | BL-6 |
| | RED-3 |
| | BK-5 |
| | YEL- N/C |

ROBYN

| | |
|--------------------|--------------|
| BB123 | WH-1 |
| TR 123C | SH & BL-2 |
| GT-7C | RED-4 |
| **HI-Z USE | YEL & BK-N/C |
| AMPLIFIED MIC ONLY | |

| | |
|-------|---------------|
| J 123 | WH-AUDIO |
| | SH & BL-GND |
| | RED-RELAY |
| | YEL & BK- N/C |

| | |
|-----|-----------|
| 605 | WH-3 |
| | SH & BL-2 |
| | RED-1 |
| | BK-5 |
| | YEL-N/C |

| | |
|--------|--------------|
| T 123B | WH-1 |
| | SH-4 |
| | BL-3 |
| | RED-2 |
| | YEL & BK-N/C |

| | |
|---------|-----------|
| SB 510D | WH-1 |
| SB 520D | SH & BL-2 |
| | RED-3 |
| | BK-4 |
| | YEL-N/C |

**ADD .01 CAPACITOR IN
SERIES W/WHITE LEAD

| | |
|-----|-----------|
| 440 | WH-1 |
| | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL- N/C |

| | |
|-----------|------|
| T 240D | WH-1 |
| | SH-3 |
| **ADD .01 | BL-4 |

| | |
|-------------------------------|--------------|
| CAPACITOR IN SERIES | RED-2 |
| W/WHITE LEAD | YEL & BK-N/C |
| **HI-Z USE AMPLIFIED MIC ONLY | |

| | |
|--------------|--------------|
| K 123 | WH-1 |
| XL ONE | SH-2 |
| SX 101 | BL-3 |
| GT VII | RED-4 |
| XL TWO | YEL & BK-N/C |
| SX 102, 102B | |
| SX 401 | |
| SX 402B | |
| SX 102 | |

ROBYN (cont')

| | |
|------------|-----------|
| AM 500D | WH-1 |
| WV 110 | SH & BL-2 |
| WV-23 | RED-3 |
| SX 007 | BK-4 |
| DG 30 | YEL- N/C |
| LB 23, 23A | |

| | |
|-------------------------------|--|
| WV 23A | |
| LB 110 | |
| DG 130D | |
| 007-140 | |
| **ADD .01 CAPACITOR IN SERIES | |
| W/WHITE LEAD | |

| | |
|---------|--------------|
| SS 747B | WH-1 |
| | SH & BL-4 |
| | RED-2 |
| | YEL & BK-N/C |

| | |
|---------|----------------|
| CB 505D | NOT COMPATIBLE |
|---------|----------------|

| | |
|---------|--------------|
| SB 540D | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | YEL & BK-N/C |

| | |
|---------------|--------------|
| T 123 | WH-AUDIO |
| **HI-Z USE | SH & BL-GND |
| AMPLIFIED MIC | RED-RELAY |
| ONLY | YEL & BK N/C |

| | |
|---------------|--------------|
| TR 123B | WH-1 |
| TR 123D | SH & BL-1 |
| **HI-Z USE | RED-3 |
| AMPLIFIED MIC | YEL & BK-N/C |
| ONLY | |

ROMAR

| | |
|---------|---------------|
| CB 7000 | WH-1 |
| | SH-4 |
| | BL-3 |
| | RED-2 |
| | YEL & BK- N/C |

| | |
|----------|-----------|
| ACT 1914 | WH-1 |
| | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL- N/C |

ROYCE

| | |
|-------|---------------|
| 1-602 | WH-1 |
| 1-605 | SH-4 |
| | BL-2 |
| | RED-3 |
| | YEL-N/C |
| 1-614 | WH-5 |
| | SH & BL-3 |
| | RED-1 |
| | YEL & BK- N/C |

ROYCE (cont')

| | |
|------------|--------------|
| 1-600A & B | WH-1 |
| 1-604 | SH & BL-2 |
| 1-607 | RED-3 |
| 1-608 | BK-4 |
| 1-611 | YEL- N/C |
| 1-612 | |
| 1-619 | |
| 1-620 | |
| 1-621 | |
| 1-631 | |
| 1-639 | |
| 1-648 | |
| 651 | |
| 1-601 | WH-1 |
| 1-602A | SH & BL-2 |
| 1-603 | RED-3 |
| 1-605A | YEL & BK-N/C |
| 1-606 | |
| 1-610 | |
| 1-617 | |
| 1-624 | |
| 1-625 | |
| 1-630 | |
| 1-631 | |
| 1-632 | |
| 1-635 | |
| 1-636 | |
| 1-640 | |
| 1-641 | |
| 1-642 | |
| 1-650 | |
| 1-653B | |
| 1-655 | |
| 1-658 | |
| 1-660 | |
| 1-662 | |
| 1-673 | |
| 1-675 | |
| 1-678 | |
| 1-680 | |
| 1-682 | |
| 1-630 | WH-1 |
| | SH-2 |
| | BL-4 |
| | RED-5 |
| | YEL & BK-N/C |
| 1-609 | WH-1 |
| | SH & BL-2 |
| | RED-4 |
| | BK-5 |
| | YEL-N/C |

RYSTAL

| | |
|----------|---------------|
| CBR 1800 | WH-1 |
| CBR 1700 | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |
| CB 523 | WH-1 |
| | SH-4 |
| | BL-2 |
| | RED-3 |
| | YEL & BK- N/C |

SANYO

| | |
|---------|-----------|
| TA 1000 | WH-2 |
| | SH & BL-4 |
| | RED-3 |
| | BK-1 |
| | YEL-N/C |
| TA 901A | WH-2 |
| | SH & BL-1 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |

SBE

| | |
|------------------|---------------|
| 1CB | WH-AUDIO |
| | SH & BL-GND |
| | RED-RELAY |
| | YEL & BK- N/C |
| 6CBS 8 | WH-1 |
| | SH-2 |
| | BL-4 |
| | RED-5 |
| | BK-3 |
| | YEL- N/C |
| 6CB | WH-2 |
| 8CB (CONSOLE) | SH-1 |
| 10CB | BL-4 |
| (CORNADODO II) | RED-3 |
| 12CB | YEL & BK-N/C |
| (SIDE BANDER II) | |
| 14CB | |
| (SUPER CONSOLE) | |
| 16CB | |
| (CONSOLE II) | |
| 40CB (CONSOLE V) | |
| 7CB (SIERRA) | WH-1 |
| | SH-2 |
| | BL-3 |
| | RED-4 |
| | YEL & BK-N/C |
| 9 CB | WH-AUDIO |
| | SH-GND |
| | BL-RELAY |
| | RED-+12V |
| | YEL & BK- N/C |

SBE (cont')

| | |
|-------------------------|---------------|
| 18CB | WH-2 |
| (SIDE BANDER III) | SH-1 |
| 21CB (CORTEZ) | BL-3 |
| 26CB (FORMULA D) | RED-4 |
| 29CB (CATALINA III) | YEL & BK- N/C |
| 30CB (TRINIDAD II) | |
| SBE-27CB/A | |
| (SIDE BANDER IV) | |
| SBE-39CB | |
| (SIDE BANDER V) | |
| SBE-40CB | |
| (CONSOLE V) | |
| SBE-41CB (ASPEN) | |
| SBE-42CB (CORTEZ 40) | |
| SBE-44CB (MALIBU 40) | |
| SBE-45CB (TRINIDAD III) | |
| SBE-50CB (CONSOLE VI) | |
| SBE-54CB (KEY/COM 1000) | |
| 22CB | WH-WH |
| (CATALINA II) | SH-SH |
| 23CB | BL-RED |
| (CAPR III) | RED-BK |
| **NOT COMPATIBLE | BK-BRN |
| W/SE PLUS | YEL-BL |
| 34CB (BRUTE) | WH-WH |
| | SH-SH |
| **NOT COMPATIBLE | BL-BK |
| W/SE PLUS | RED-RED |
| | BK-BL |
| | YEL-GRN |
| 49 CB (TAHOE) | WH-4 |
| LCMB (LAND COM) | SH & BL-2 |
| LCBS-4 | RED-5 |
| | BK-1 |
| | YEL-N/C |
| DELMAR 225 | WH-2 |
| LCM-5 | SH & BL-1 |
| (LAND COMMAND) | BK-4 |
| | RED-3 |
| | YEL- N/C |
| LAND COMMAND | WH-1 |
| (LCM-8 | SH & BL4 |
| | RED-5 |
| | BK-3 |
| | YEL-N/C |
| TRIN III | WH-2 |
| | SH-1 |
| | BL-4 |
| | RED-3 |
| | YEL & BK- N/C |

M.H. SCOTT

| | |
|--------------|--------------|
| DAK MARK IX | WH-1 |
| DAK MARK X | SH-2 |
| | BL-3 |
| | RED-4 |
| | YEL & BK-N/C |
| DAK MARK III | WH-1 |
| DAK MARK II | SH-4 |
| DAK MARK V | BL-3 |
| | RED-2 |
| | BK-5 |
| | YEL-N/C |

SEARS

| | |
|--------------|-----------|
| 370.38050700 | WH-4 |
| 562.38200700 | SH & BL-1 |
| 663.38070700 | RED-3 |
| 663.38020800 | BK-5 |
| 663.38000900 | YEL-N/C |
| 934.36770500 | |
| 934.36710500 | |
| 934.36740500 | |
| 934.36772600 | |
| 934.36771500 | |
| 934.38310700 | |
| 934.63742600 | |
| 934.38120700 | |
| 934.38080700 | |
| 934.38110700 | |
| 934.38081700 | |
| 934.38060700 | |
| 934.38062700 | |
| 934.38270700 | |
| 934.38260700 | |
| 562.38220700 | WH-4 |
| | SH & BL-1 |
| | RED-3 |
| | BK-2 |
| | YEL- N/C |

SHAKESPEARE

| | |
|---------------|---------------|
| GBS-2500 | WH-1 |
| GBS-1500 | SH & BL-2 |
| GBS-240 | RED-4 |
| | BK-3 |
| | YEL- N/C |
| GBS-2000 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |
| 740 | WH-1 |
| | SH-4 |
| **HI-Z USE | BL-3 |
| AMPLIFIED MIC | RED-2 |
| ONLY | YEL & BK- N/C |

SHAKESPEARE (cont')

| | |
|-----|-----------|
| 840 | WH-4 |
| | SH & BL-1 |
| | RED-3 |
| | BK-5 |
| | YEL- N/C |

SHARP

| | |
|---------------|---------------|
| CB-700 | WH-1 |
| CB-700A | SH-4 |
| CB-800 & 800A | BL-3 |
| CB-2170 | RED-2 |
| CB-2260 | YEL & BK- N/C |
| CB-2460 | |
| CB-5470 | |
| CB-4370 | |
| CBT 58 | WH-AUDIO |
| CB 500 UB | SH & BL-GND |
| CB 550 UB | RED-RELAY |
| | YEL & BK-N/C |

SILTRONIX

| | |
|--------------------|----------------|
| 1011C | WH-RING |
| | SH & BL-SLEEVE |
| **HI-Z USE | RED-TIP |
| AMPLIFIED MIC ONLY | YEL & BK- N/C |
| APACHE | WH-1 |
| MOHAWK | SH & BL-4 |
| SSB 23 | RED-2 |
| | YEL & BK- N/C |

SOMMERKAMP

| | |
|----------|-----------|
| TS-2000X | WH-2 |
| | SH & BL-1 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |

SONAR

| | |
|-------------------------------|-----------------|
| MODEL E | WH-RING |
| FS-23 | SH & BL- SLEEVE |
| MODEL 6 | RED-TIP |
| MODEL H | YEL & BK- N/C |
| FS-3023 | |
| FS-2340 | |
| **HI-Z USE AMPLIFIED MIC ONLY | |
| J-23 | WH-WH |
| | SH & BL-SH |
| **HI-Z USE | RED-RED |
| AMPLIFIED MIC | BK-BK |
| ONLY | YEL- N/C |

SPARKOMATIC

| | |
|---------|-----------|
| CB-1023 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | BK-5 |
| | YEL- N/C |

SPARKOMATIC (cont')

| | |
|---------|-----------|
| CB-2023 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |

| | |
|---------|-----------|
| CB-1123 | WH-2 |
| CB-5100 | SH & BL-1 |
| CB-1040 | RED-3 |
| | BK-4 |
| | YEL- N/C |

| | |
|---------|----------|
| CB-2123 | WH-1 |
| | SH-4 |
| | BL-5 |
| | RED-2 |
| | BK-3 |
| | YEL- N/C |

STANDARD COMMUNICATIONS

| | |
|-------------|-----------|
| HORIZON 29 | WH-2 |
| HORIZON 29A | SH & BL-1 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |

SUNISONIC

| | |
|------|---------------|
| 1012 | WH-2 |
| | SH-1 |
| | BL-4 |
| | RED-3 |
| | YEL & BL- N/C |

SUPER JOPIX

| | |
|-------|-----------|
| 3000B | WH-2 |
| | SH & BL-1 |
| | RED-3 |
| | BK-4 |

SUPERSTAR

| | |
|--------|---------------|
| 4900B | WH-1 |
| | SH & BL-5 |
| | RED-3 |
| | BK-2 |
| 120 FM | WH-2 |
| 121 FM | SH & BL-1 |
| 360 FM | RED-3 |
| 3600 | YEL & BL- N/C |
| 3900 | |
| 95 | WH-1 |
| 2000 | SH & BL-2 |
| | BK-3 |
| | RED-4 |
| | YEL- N/C |

SURVEYOR

| | |
|---------|--|
| CB-2600 | WH-3 SH & BL-4 RED-2 BK-1 YEL- N/C |
| 2100 | WH-4 |
| 2300 | SH & BL-2 RED-1 YEL & BK-N/C |
| 2400 | WH-1 SH & BL-2 RED-3 YEL & BK-N/C |
| 2610 | WH-2 SH & BL-1 RED-3 BK-4 YEL- N/C |
| 2620 | **NOT COMPATIBLE |
| 2630 | WH-1 SH & BL-2 RED-3 BK-4 YEL- N/C |

SWAN

| | |
|-------|----------------|
| 500 | WH-RING |
| 350 | SH & BL-SLEEVE |
| 700CX | RED-TIP |

TEABERRY

| | |
|-------------------|--|
| MODEL T CONTROL | WH-2 |
| NEW T CHARLIE ONE | SH & BL-4 RED-3 BK-1 YEL- N/C |
| BIG T | WH-1 SH & BL-3 RED-4 YEL & BK-N/C |
| FIVE X FIVE | WH-1 SH & BL-2 RED-3 YEL & BK-N/C |
| MIGHTY T | WH-4 |
| STALKER III | SH & BL-1 RED-3 BK-5 YEL- N/C |
| TELE T | WH-4 SH & BL-1 RED-5 BK-3 YEL- N/C |

TEABERRY (cont')

| | |
|---|---|
| T-SCOUT | WH-YEL RED-RED BK-VIOLET YEL- N/C |
| RACER T | WH-2 |
| T HAWK | SH & BL-4 |
| T CHARLIE | RED-3 BK-1 **23 CHANNEL YEL- N/C |
| RACER T RADIOS REQUIRE A 47K RESISTOR UB SERIES W/WHITE LEAD TO PREVENT DAMAGE TO THE RADIO | |
| RANGER T | WH-4 SH & BL-1 RED-3 YEL & BK- N/C |
| MINI T | **CONTACT ASATIC |
| TWIN T | WH-RING SH & BL-SLEEVE RED-TIP YEL & BK- N/C |
| MODEL T | WH-1 SH-3 BL-4 RED-2 YEL & BK- N/C |
| T CHARLIE ONE | WH-2 SH & BL-3 RED-1 BK-4 YEL-N/C |
| STALKER ONE | WH-1 |
| STALKER TWO | SH-3 |
| STALKER 202 | BL-2 |
| STALKER 101 | RED-4 YEL & BK-N/C |
| STALKER IV | WH-4 SH & BL-3 RED-1 BK-2 YEL- N/C |
| STALKER V | WH-1 |
| STALKERXIII | SH & BL-2 |
| GOLDEN 5 X 5 | RED-4 |
| TB-73 | BK-3 |
| NEW BIG T | YEL- N/C |
| "T" BEAR | |
| TITAN "T" | |
| T DISPATCH | |
| T BEAR | |
| T COMMAND | |

TEABERRY (cont')

| | |
|------------|----------|
| STALKER XV | WH-1 |
| STALKER IX | SH-2 |
| STALKER XX | BL-4 |
| | RED-5 |
| | BK-3 |
| | YEL- N/C |

| | |
|--------------|-----------|
| STALKER VIII | WH-1 |
| | SH & BL-3 |
| | RED-2 |
| | BK-5 |
| | YEL- N/C |

| | |
|-------------|-----------|
| STALKER XXV | WH-2 |
| | SH & BL-1 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |

| | |
|--------------|--------------|
| SHIP'S RADIO | WH-1 |
| | SH-4 |
| | BL-3 |
| | RED-2 |
| | YEL & BK-N/C |

TEK

| | |
|---------|-----------|
| HR-3950 | WH-2 |
| | SH & BL-1 |
| | RED-3 |
| | BK-4 |
| | YEL- N/C |

TEMPO

| | |
|--------------------|----------------|
| ONE | WH-RING |
| | SH & BL-SLEEVE |
| **HI-Z USE | RED-TIP |
| AMPLIFIED MIC ONLY | YEL & BK- N/C |

TEN-TEC

| | |
|------------|---------------|
| OMNI V | WH-1 |
| DELTA II | SH & BL-2 |
| SCOUT 55 | RED-3 |
| JUPITER VI | YEL & BK- N/C |

| | |
|---------|---------------|
| PARAGON | |
| TC-5007 | WH-1 |
| | SH & BL-3 |
| | RED-2 |
| | YEL & BL- N/C |

| | |
|---------|---------------|
| TC-5014 | WH-1 |
| TC-5010 | SH & BL-3 |
| PW-5024 | RED-2 |
| | YEL & BL- N/C |

| | |
|------------------|-------|
| TC-5040 | WH-1 |
| | SH-6 |
| **NOT COMPATIBLE | BL-4 |
| W/SE PLUS | RED-5 |
| | YEL-2 |
| | BK-3 |

TEN-TEC (cont')

| | |
|---------|-----------|
| TC-5023 | WH-1 |
| | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL- N/C |

| | |
|-----------|----------------|
| OMNI D | WH-RING |
| TRITRON 4 | SH & BL-SLEEVE |
| | RED-TIP |

| | |
|---------------|-----------|
| PEGASUS E 550 | WH-4 |
| | SH & BL-3 |
| | RED-2 |
| | 1-N/C |

TEXAS RANGER

| | |
|----------|-----------|
| TR6 99WX | WH-2 |
| | SH & BL-1 |
| | RED-3 |
| | BK-4 |

TOKAI

| | |
|--------|-----------|
| TC-101 | WH-3 |
| | SH & BL-2 |
| | RED-1 |
| | BK-5 |
| | YEL- N/C |

TRAM

| | |
|---------------|-----------|
| D12 | WH-2 |
| D42 | SH & BL-1 |
| D62 | RED-3 |
| DIAMOND 40,60 | BK-4 |
| XL | YEL-N/C |

| | |
|-------------|---------|
| XL-5 | |
| X-23 | |
| CROSAIR 464 | WH-RING |

| | |
|---------|----------------|
| TR27D/E | SH & BL-SLEEVE |
| XL-100 | RED-TIP |
| | YEL-N/C |

****HI-Z USE AMPLIFIED MIC ONLY**

| | |
|-----------|-----------|
| D201, A | WH-1 |
| TITAN | SH & BL-2 |
| TITAN II | RED-4 |
| TITAN IIA | BK-3 |
| TITAN IV | YEL-N/C |

****HI-Z USE AMPLIFIED MIC ONLY**

| | |
|------|---------|
| D300 | WH-1 |
| D80 | SH-2 |
| | BL-4 |
| | RED-5 |
| | BK-3 |
| | YEL-N/C |

TRISTAR

| | | | |
|-------|---------|---------|---------|
| 120AM | WH-2 | WH-2 | WH-1 |
| 240 | SH-1 | SH-1 | SH-2 |
| 340 | YEL-N/C | YEL-N/C | YEL-N/C |
| 727 | BL-1 | BL-1 | BL-2 |
| 747 | RED-5 | RED-4 | RED-4 |
| | BK-4 | BK-3 | BK-3 |

UNIDEN

| | |
|-------------|-----------|
| ADAMS | WH-2 |
| ANDRES J | SH & BL-1 |
| CONVOY II | RED-3 |
| DWIGHT D | BK-4 |
| GRANT (858) | YEL-N/C |

GRANT-DX
HONEST ABE

JACKSON

JOHN Q

MADISON (858)

OLD HICKORY

TEDDY R

THOMAS J

VEEP

WASHINGTON (858)

ZACHARY T

AR4, AX4

AR14, AX4

AX 43

AR144, AX144

AR711,AX711

P220

P300

PC33

PC55

PC66,PC66XL

PC68XL

PC76XL

PC77

PC122,PC122XL

PC244

PRO 500D

PRO 510XL

PRO 520XL

PRO 530E

PRO 535SE

PRO538E

PRO 540E

PRO 640E

PRO 710E, 810E

PTC-104

GENERAL GRANT

HR 2510 WH-1

HR 2510E SH & BL-2

HR 2600 RED-3

LINCOLN YEL & BK-N/C

UNIDEN (cont')

| | |
|---------------|--------------|
| GRANT | WH-1 |
| GRANT XL | SH-2 |
| MADISON(8719) | BL-4 |
| MCKINLEY | RED-5 |
| P 400 | BK-3 |
| WASHINGTON | YEL & BK-N/C |

8719

| | |
|------------------|-----------|
| GRANT XL CLASSIC | WH-1 |
| JACKSON EXPORT | SH & BL-5 |
| | RED-3 |

| | |
|------------------|-----------|
| PRESIDENT GEORGE | WH-1 |
| | SH & BL-5 |
| | RED-3 |
| | BK-2 |

UNIMETRICS

| | |
|----------|--------------|
| DOLPHONE | WH-1 |
| | SH-2 |
| | BL-3 |
| | RED-2 |
| | YEL & BK-N/C |

| | |
|-------------|-------|
| SEA HORSE I | WH-M4 |
| | SH-G |

| | |
|---------------|---------|
| **HI-Z USE | BL-B1 |
| AMPLIFIED MIC | RED-T2 |
| ONLY | BK-R3 |
| | YEL-N/C |

| | |
|------------|---------|
| MARLIN I | WH-4 |
| MAKO I | SH-GND |
| PORPOISE I | BL-1 |
| | RED-2 |
| | BK-3 |
| | YEL-N/C |

| | |
|--------------|---------|
| STING RAY II | WH-1 |
| | SH-4 |
| | BL-3 |
| | RED-2 |
| | BK-5 |
| | YEL-N/C |

UTAC

| | |
|--------------|-------|
| MICROMIMI 23 | WH-1 |
| ST-23 | SH-6 |
| | BL-4 |
| **NOT | RED-5 |
| COMPATIBLE | BK-3 |
| W/SE PLUS | YEL-2 |

| | |
|--------|--------------|
| TRX 30 | WH-1 |
| TR 18M | SH & BL-2 |
| | RED-3 |
| | YEL & BK-N/C |

| | |
|-------------|-----------|
| STUDIO 4000 | WH-1 |
| | SH & BL-3 |

| | |
|--------------------|--------------|
| **HI-Z USE | RED-2 |
| AMPLIFIED MIC ONLY | YEL & BK-N/C |

UTAC (cont')

| | |
|--------------------|-------------------|
| TRX 2000 | WH-3 SH & BL-2 |
| **HI-Z USE | RED-1 |
| AMPLIFIED MIC ONLY | YEL & BK-N/C |
| TRX 400 | WH-1 |
| TRX 500 | SH & BL-3 |
| **HI-Z USE | RED-2 |
| AMPLIFIED MIC ONLY | YEL & BK-4 |

VECTOR

| | |
|---|---|
| X | WH-1 SH & BL-2 RED-4 BK-3 YEL-N/C |
|---|---|

VIRAGE

| | |
|-----------|------------------------------------|
| VX 3300HP | WH-2 SH & BL-1 RED-3 BK-4 |
|-----------|------------------------------------|

WELL

| | |
|-------|---------------------------------------|
| W 605 | WH-1 |
| W 705 | SH-2 BL-4 RED-3 YEL & BK-N/C |

WINSOR

| | |
|------|---|
| W-60 | WH-1 SH & BL-2 RED-4 BK-3 YEL-N/C |
|------|---|

XTAL

| | |
|---------|---|
| XCB 4 | WH-1 |
| XCB 28 | SH & BL-2 BK-5 RED-3 YEL-N/C |
| XCB 6 | WH-2 SH & BL-1 RED-4 BK-3 YEL-N/C |
| XCB 7 | WH-1 |
| XCB 71 | SH & BL-6 RED-3 BK-5 YEL-N/C |
| XSSB 10 | WH-5 SH & BL-6 RED-1 YEL & BK-N/C |

XTAL (cont')

| | |
|---------|---|
| XCB 11 | WH-2 |
| XCB 5 | SH & BL-1 RED-4 YEL & BK-N/C |
| XCB 12 | WH-4 SH-5 BL-1 RED-3 YEL & BK-N/C |
| XCB 88 | **NOT COMPATIBLE |
| XCB 23A | WH-1 SH & BL-2 RED-3 YEL & BK-N/C |

YAESU

| | |
|------------|--|
| FT 101ZD | WH-2 |
| FT 101B | SH & BL-1 |
| FT 101E | RED-3 |
| FT 301D | YEL & BK-N/C |
| FT 7B | |
| FT 225R/RD | |
| FT 625RD | |
| FT 221R | |
| FT 140B | WH- RING |
| FT 200 | SH & BL-SLEEVE RED-TIP YEL & BK-N/C |
| FT 720R | WH-1 SH & BL-4 RED-3 YEL & BK-N/C |
| FT 2400 | WH-4 SH & BL-5 RED-3 YEL & BK-N/C |
| CPU 2500R | WH-6 SH & BL-5 RED-4 YEL & BK-N/C |
| FT 2 AUTO | WH-2 SH & BL-1 RED-3 BK-4 YEL- N/C |
| FT8100 | MIC IN-WH |
| FT100 | GND-SH & BL |
| FT90 | SW1-RED W/27K RESISTOR IN SERIES |
| FT1000 | BL-5 |
| FT874 | RED-6 SH-7 WH-8 |

YAESU (cont')

MOST 8-PIN MODELS

| | |
|---------|--------------|
| FT 102 | WH-8 |
| FT 757 | SH & BL-7 |
| FT 620B | RED-6 |
| FT 707 | YEL & BK-N/C |
| FT 77 | |
| FT 840 | |
| FT 980 | |
| FT 726R | |
| FT 990 | |
| FT 920 | |
| FT 767 | |
| FT 890 | |
| FT 107 | |
| FT 1000 | |
| FT 650 | |
| FT 747 | |

YOSAN

| | |
|---------|-----------|
| JC 2204 | WH-1 |
| | SH & BL-2 |
| | RED-4 |
| | BK-3 |
| | YEL-N/C |

ZODIAC

| | |
|--------|--------------|
| M 5026 | WH-1 |
| | SH-4 |
| | RED-3 |
| | BL-2 |
| | YEL & BK-N/C |
| M 5203 | WH-1 |
| | SH & BL-2 |
| | RED-3 |
| | BK-5 |
| | YEL-N/C |

WIRING COLOR CODES

***COLOR CODES FOR ASTATIC 6 WIRE
MICROPHONES***

WIRE COLOR

FUNCTION

| | |
|---------------|---|
| WHITE | AUDIO |
| SHIELD | GROUND |
| BLUE | COMMON FOR SWITCHING |
| RED | PUSH TO TALK (TRANSMIT CONTROL) |
| BLACK | RECEIVE CONTROL |
| YELLOW | RECEIVE GROUND (NOT NORMALLY USED) |