

Annotated bird list for Oxley Creek Common - seen or heard from Common
(Species in italics have not yet been seen as far as I am aware – Hugh Possingham 2008 - h.possingham@uq.edu.au)

The percentage number is the chance I saw it in 54 visits from Feb 2004 - June 2008 during a 100 minute cycle through the common.

DN - David Niland; MG - Mat and Cathy Gilfedder; BM - Mike Bennett, MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; RS - Rebecca Stroud

	Scientific name	% R	Comments
MEGAPODIDAE			
Australian Brush-turkey	<i>Alectura lathami</i>	33%	1 Increasing, and since Jan 2007 almost always present, mound building first dip
PHASIANIDAE			
Brown Quail	<i>Coturnix ypsilophora</i>	54%	1 All year, but easier to detect when calling in warmer months
ANSERANATIDAE			
Magpie Goose	<i>Anseranas semipalmata</i>	15%	1 Odd birds until spring 2006 when three birds turned up and successfully bred on Pelican lagoon, now regular
ANATIDAE			
Plumed Whistling-Duck	<i>Dendrocygna eytoni</i>	2%	1 30th Jan 2005, Jabiru swamp; 27 Jan 2006 (26 birds)
<i>Wandering Whistling-Duck</i>	<i>Dendrocygna arcuata</i>		
Black Swan	<i>Cygnus atratus</i>	11%	1 Less common since <i>Salvinia</i> started appearing on Pelican lagoon, none recently
Australian Wood Duck	<i>Chenonetta jubata</i>	57%	1 Possibly increasing
Cotton Pygmy-goose	<i>Nettapus coromandelianus</i>	0%	1 27/2/08 two females (MG)
Pacific Black Duck	<i>Anas superciliosa</i>	100%	1 From about two to 20 birds
Australasian Shoveler	<i>Anas rhynchotis</i>	7%	1 Two autumn 05, two July-Sep 07, 10 May 08 (three), 29 Apr 08 (one)
Grey Teal	<i>Anas gracilis</i>	76%	1 Up to 25 birds
Chestnut Teal	<i>Anas castanea</i>	0%	1 Pelican Lagoon, July 2004 (MB), specifically 4/7/04 - 2 birds, 5/7/04 - 5 birds, 17/7/04 2 birds, 18/7/04 - 4 birds (MB), 13,21/09/08 - 2 (HP)
Pink-eared Duck	<i>Malacorhynchus membranaceus</i>	4%	1 7 Oct to 27 Nov 07, one
Hardhead	<i>Aythya australis</i>	39%	1 Mainly on Pelican lagoon
PODICIPEDIDAE			
Australasian Grebe	<i>Tachybaptus novaehollandiae</i>	91%	1 Pelican lagoon and Jabiru swamp, only absent when <i>salvinia</i> covers lagoon, up to 14, usually about 6
<i>Great Crested Grebe</i>	<i>Podiceps cristatus</i>		<i>Water body probably too small</i>
ANHINGIDAE			
Darter	<i>Anhinga melanogaster</i>	46%	1 Oxley Creek and Pelican lagoon and occasionally flying over
PHALACROCORACIDAE			
Little Pied Cormorant	<i>Phalacrocorax melanoleucos</i>	57%	1 Generally only one to few
Pied Cormorant	<i>Phalacrocorax varius</i>	7%	1 Odd birds flying along Oxley Creek
Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	61%	1 Most abundant and regular cormorant
Great Cormorant	<i>Phalacrocorax carbo</i>	20%	1 Not often, then just ones and twos
PELECANIDAE			
Australian Pelican	<i>Pelecanus conspicillatus</i>	39%	1 Usually Pelican lagoon, up to eight may roost on small islands in PL or JS
ARDEIDAE			
White-faced Heron	<i>Egretta novaehollandiae</i>	61%	1 Rarely more than one or two
Little Egret	<i>Egretta garzetta</i>	17%	1 Rarely more than one, usually Pelican lagoon, not recently ?2007
White-necked Heron	<i>Ardea pacifica</i>	4%	1 3rd July 04, 21 Jun 05, 8 Apr 06, 26 Apr 06, 3 May 06, 22 May 06, 12th Jun 06, 8 Nov 06, 28 Dec 06, 14 Oct 07 (4), 30 Mar 08, 14 Jun 08, 12 Oct 08
Great Egret	<i>Ardea alba</i>	39%	1 Usually just one or two
Intermediate Egret	<i>Ardea intermedia</i>	74%	1 Can be several, up to twenty
Cattle Egret	<i>Ardea ibis</i>	100%	1 Often ten or more, sometimes up to fifty
Striated Heron	<i>Butorides striatus</i>	6%	1 Along Oxley Creek
Nankeen Night Heron	<i>Nycticorax caledonicus</i>	30%	1 Most often roosting in giant bamboos on the other side of the creek opposite the lost forest
<i>Little Bittern</i>	<i>Ixobrychus minutus</i>		<i>some summers at sherwood arboretum</i>
<i>Black Bittern</i>	<i>Ixobrychus flavicollis</i>		<i>recently at sherwood arboretum</i>
THRESKIORNITHIDAE			
Glossy Ibis	<i>Plegadis falcinellus</i>	31%	1 Usually one to four but up to twenty, slowly disappearing in 2007?, eight 21 Jan 2007, 14 June 2008 (1)
Australian White Ibis	<i>Threskiornis molucca</i>	91%	1 Often several, up to thirty, many fly over
Straw-necked Ibis	<i>Threskiornis spinicollis</i>	61%	1 Generally on short grass, small numbers unless a flock flies over; possibly less common in spring
Royal Spoonbill	<i>Platalea regia</i>	33%	1 Usually only one or two
Yellow-billed Spoonbill	<i>Platalea flavipes</i>	0%	1 31 May 2006, 1 June 2006, (MB, CS); 17 Apr 2006, 24 June 2006 (CR, RD) all probably the same single bird
CICONIIDAE			
Black-necked Stork	<i>Ephippiorhynchus asiaticus</i>	4%	1 Irregular and easily disturbed, recent single bird May-June 08
ACCIPITRIDAE			
Osprey	<i>Pandion haliaetus</i>	0%	1 One, 7 June 2008 (MG)
Pacific Baza	<i>Aviceda subcristata</i>	2%	1 24th Oct 2004. Prefers more trees, more common in other parts of Brisbane but erratic

Annotated bird list for Oxley Creek Common - seen or heard from Common
(Species in italics have not yet been seen as far as I am aware – Hugh Possingham 2008 - h.possingham@uq.edu.au)

The percentage number is the chance I saw it in 54 visits from Feb 2004 - June 2008 during a 100 minute cycle through the common.

DN - David Niland; MG - Mat and Cathy Gilfedder; BM - Mike Bennett, MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; RS - Rebecca Stroud

	Scientific name	% R	Comments
Black-shouldered Kite	<i>Elanus axillaris</i>	20%	1 One or two and sometimes a juvenile
<i>Black Kite</i>	<i>Milvus migrans</i>		2007 at <i>sherwood arboretum</i>
Whistling Kite	<i>Haliastur sphenurus</i>	0%	1 23 Oct 04 one (MB); 30 May 07 one (DN); 16 Jul 07 (WR); 21 Sep 08 two
Brahminy Kite	<i>Haliastur indus</i>	4%	1 22 Sept 04 (MB); 14 Nov 04 (CR, RD); 21st Jan 06 (MG); 21 Jan 07 (CR, RD), 9 Feb 08, 7 Jun 08
White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	19%	1 One or two birds regularly seen bringing a flying fox up Oxley Creek. Also hangs around swamps
<i>Spotted Harrier</i>	<i>Circus assimilis</i>		
Swamp Harrier	<i>Circus approximans</i>	2%	1 3rd July 2004, 25th Apr 2006, 28th Dec 2006 - surprisingly uncommon in SE QLD
Brown Goshawk	<i>Accipiter fasciatus</i>	17%	1 More often near Oxley creek
Grey Goshawk	<i>Accipiter novaehollandiae</i>	2%	1 1st Mar 2004, along creek
Collared Sparrowhawk	<i>Accipiter cirrhocephalus</i>	6%	1
Wedge-tailed Eagle	<i>Aquila audax</i>	0%	1 19th April 2005 (MG); 1 April 2007
Little Eagle	<i>Hieraaetus morphnoides</i>	0%	1 8th July 2006 (MG)
FALCONIDAE			
Brown Falcon	<i>Falco berigora</i>	22%	1 Perched on fence posts and eucalypts in the grassland, almost resident in 2007-8
Australian Hobby	<i>Falco longipennis</i>	11%	1 Often on power lines or near Jabiru Swamp
<i>Black Falcon</i>	<i>Falco subniger</i>		<i>Uncommon in the Lockyer Valley</i>
Peregrine Falcon	<i>Falco peregrinus</i>	4%	1 24 Apr 2005 (MG), 10 Oct 2006 (MG), 1 Apr 2007 (TM), 11 Jul 2007 (CR, RD), 7 Oct 2007 (sev), regular late2007-early 2008
Nankeen Kestrel	<i>Falco cenchroides</i>	26%	1 2004-5 near big red shed, now usually on wires
GRUIDAE			
<i>Brolga</i>	<i>Grus rubicunda</i>		
RALLIDAE			
Buff-banded Rail	<i>Gallirallus philippensis</i>	22%	1 Usually under mangroves or near dense cover, sometimes Pelican lagoon
<i>Lewin's Rail</i>	<i>Rallus pectoralis</i>		<i>Turns up at Sherwood arboretum</i>
<i>Bush-hen</i>	<i>Amauormis olivaceus</i>		<i>Observed at Sherwood Arboretum, Tarcoola Track and other nearby locations</i>
Baillon's Crake	<i>Porzana pusilla</i>	2%	1 One or two birds regular on Pelican lagoon spring 2006; 16, 28 Sept 2007 two (BL, WR)
<i>Australian Spotted Crake</i>	<i>Porzana fluminea</i>		
Spotless Crake	<i>Porzana tabuensis</i>	2%	1 10/2/2007 one at pelican Lagoon (HP)
Purple Swamphen	<i>Porphyrio porphyrio</i>	98%	1 Mainly Pelican lagoon, and Jabirum swamp Usually around 10
Dusky Moorhen	<i>Gallinula tenebrosa</i>	87%	1 A few on pelican lagoon, also along oxley creek under mangroves
Eurasian Coot	<i>Fulica atra</i>	59%	1 Pelican lagoon when there is clear water, up to fifteen
TURNICIDAE			
Red-backed Button-quail	<i>Turnix maculosa</i>	0%	1 28-30 Dec 2006, drain near Pelican Lagoon (HP, MG)
<i>Little Button-quail</i>	<i>Turnix velox</i>		
<i>Red-chested Button-quail</i>	<i>Turnix pyrrhotorax</i>		
SCOLOPACIDAE			
Latham's Snipe	<i>Gallinago hardwickii</i>	28%	1 Several birds, mainly around lagoons spring-summer-autumn
<i>Little Curlew</i>	<i>Numenius minutus</i>		
Marsh Sandpiper	<i>Tringa stagnatilis</i>	2%	1 One bird on Jabiru swamp from Oct 2006 to Dec 2006; also Oct 2007
<i>Common Greenshank</i>	<i>Tringa nebularia</i>		
<i>Wood Sandpiper</i>	<i>Tringa glareola</i>		
<i>Common Sandpiper</i>	<i>Actitis hypoleucos</i>		
<i>Red-necked Stint</i>	<i>Calidris ruficollis</i>		
<i>Pectoral Sandpiper</i>	<i>Calidris melanotos</i>		
Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	2%	1 25th Mar 2005, and other dates, jabiru swamp; 14 Nov 2004, 31 Dec 2006
<i>Curlew Sandpiper</i>	<i>Calidris ferruginea</i>		
ROSTRATULIDAE			
<i>Painted Snipe</i>	<i>Rostratula benghalensis</i>		
JACANIDAE			
Comb-crested Jacana	<i>Irediparra gallinacea</i>	2%	1 One on 14th Feb 2004 (HP)
BURHINIDAE			
Bush Stone-curlew	<i>Burhinus grallarius</i>	0%	1 Heard from Common but not seen on Common
RECURVIROSTRIDAE			

Annotated bird list for Oxley Creek Common - seen or heard from Common
(Species in italics have not yet been seen as far as I am aware – Hugh Possingham 2008 - h.possingham@uq.edu.au)

The percentage number is the chance I saw it in 54 visits from Feb 2004 - June 2008 during a 100 minute cycle through the common.

DN - David Niland; MG - Mat and Cathy Gilfedder; BM - Mike Bennett, MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; RS - Rebecca Stroud

	Scientific name	% R	Comments
Black-winged Stilt	<i>Himantopus himantopus</i>	87%	1 Usually several on Jabiru swamp, breeds, can be up to 20
<i>Red-necked Avocet</i>	<i>Recurvirostra novaehollandiae</i>		<i>Seen occasionally on coastal lagoons in Brisbane</i>
CHARADRIIDAE			
Pacific Golden Plover	<i>Pluvialis fulva</i>	2%	1 One bird on Jabiru Swamp from 23rd Oct 2004 - 30th Oct 2004 (HP, MB)
<i>Double-banded Plover</i>	<i>Charadrius bicinctus</i>		
Black-fronted Dotterel	<i>Euseyornis melanops</i>	35%	1 Pelican Lagoon and Jabiru Swamp, up to four
Red-kneed Dotterel	<i>Erythrogonys cinctus</i>	11%	1 May have bred at the back of Pelican Lagoon 2006, up to three birds
<i>Banded Lapwing</i>	<i>Vanellus tricolor</i>		
Masked Lapwing	<i>Vanellus miles</i>	98%	1 A few pairs always present
LARIDAE			
Silver Gull	<i>Larus novaehollandiae</i>	0%	1 June 2005 (MR, DN)
Gull-billed Tern	<i>Sterna nilotica</i>	2%	1 3rd July 2004 (HP)
Caspian Tern	<i>Sterna caspia</i>	0%	1 13th July 2005 (MG)
<i>Crested Tern</i>	<i>Sterna bergii</i>		<i>not uncommon along Brisbane River especially during the winter</i>
<i>Little Tern</i>	<i>Sterna albifrons</i>		<i>unlikely, more coastal</i>
Whiskered Tern	<i>Chlidonias hybridus</i>	2%	1 8 Jan 2006, 26 Dec 2006, 8th Jan 2006 (MB), 4 Oct 2006 (1, CS), 23rd Oct 2004 (8, MB), 13 Oct 2007 (5, R)
<i>White-winged Black Tern</i>	<i>Chlidonias leucopterus</i>		
COLUMBIDAE			
Rock Dove	<i>Columba livia</i>	67%	1 A few here and there and occasionally a large flock overhead in the north
White-headed Pigeon	<i>Columba leucomela</i>	2%	1 13th May 2006 (HP), 17 Mar 2007 (RS), more common on west side of Sherwood-Chelmer
Spotted Turtle-Dove	<i>Streptopelia chinensis</i>	93%	1 Mainly along creek
<i>Brown Cuckoo-Dove</i>	<i>Macropygia amboinensis</i>		
Emerald Dove	<i>Chalcophaps indica</i>	0%	1 22nd Sept 04 - one bird (MB)
Crested Pigeon	<i>Ocyphaps lophotes</i>	85%	1
Peaceful Dove	<i>Geopelia striata</i>	0%	1 17 Mar 2007 one (RS)
Bar-shouldered Dove	<i>Geopelia humeralis</i>	98%	1 More common than Spotted Turtle-dove along creek, probably about 5-20
<i>Wonga Pigeon</i>	<i>Leucosarcia melanoleuca</i>		
<i>Wompoo Fruit-Dove</i>	<i>Ptilinopus magnificus</i>		<i>2007 Sherwood arboretum</i>
<i>Rose-crowned Fruit-Dove</i>	<i>Ptilinopus regina</i>		
Topknot Pigeon	<i>Lopholaimus antarcticus</i>	2%	1 June 05 (MR, DN); 22 Mar 07 (30, HP); 15 May 07 (60, MG); 22 Apr 07 (42); 26 May 07 (20, CR, MR); 25 Apr 08 (17), 14 Jun 08 (12); 4 Aug 08 (12, DN),
CACATUIDAE			
Red-tailed Black-Cockatoo	<i>Calyptorhynchus banksii</i>	0%	1 A pair flying over on 9 Feb 06 (DN)
<i>Glossy Black-Cockatoo</i>	<i>Calyptorhynchus lathami</i>		
<i>Yellow-tailed Black-Cockatoo</i>	<i>Calyptorhynchus funereus</i>		
Galah	<i>Cacatua roseicapilla</i>	59%	1 May be more common in second half of year?
Little Corella	<i>Cacatua sanguinea</i>	24%	1 Usually just flying over
Long-billed Corella	<i>Cacatua</i>		1 26 June 05 (MG); regular at Sherwood Arboretum
Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	69%	1 Some odd birds may be escapees
<i>Cockatiel</i>	<i>Nymphicus hollandicus</i>		
PSITTACIDAE			
Rainbow Lorikeet	<i>Trichoglossus haematodus</i>	100%	1 Mainly flying over
Scaly-breasted Lorikeet	<i>Trichoglossus chlorolepidotus</i>	87%	1 Mainly flying over
<i>Musk Lorikeet</i>			<i>Seen at Corinda shops August 2007</i>
Little Lorikeet	<i>Glossopsitta pusilla</i>	0%	1 11th June 2005 (CH), 2nd Sept 2004 (MB), not uncommon at Sherwood Arboretum
Australian King-Parrot	<i>Alisterus scapularis</i>	6%	1 Mainly heard or flying over - maybe more in winter
<i>Crimson Rosella</i>	<i>Platycercus elegans</i>		
Pale-headed Rosella	<i>Platycercus adscitus</i>	63%	1 In ones and twos
<i>Swift Parrot</i>	<i>Lathamus discolor</i>		
<i>Red-rumped Parrot</i>	<i>Psephotus haematonotus</i>		
<i>Budgerigar</i>	<i>Melopsittacus undulatus</i>		
CUCULIDAE			
Oriental Cuckoo	<i>Cuculus saturatus</i>	0%	1 31 Mar 2007 (RS)

Annotated bird list for Oxley Creek Common - seen or heard from Common
(Species in italics have not yet been seen as far as I am aware – Hugh Possingham 2008 - h.possingham@uq.edu.au)

The percentage number is the chance I saw it in 54 visits from Feb 2004 - June 2008 during a 100 minute cycle through the common.

DN - David Niland; MG - Mat and Cathy Gilfedder; BM - Mike Bennett, MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; RS - Rebecca Stroud

	Scientific name	% R	Comments
<i>Pallid Cuckoo</i>	<i>Cuculus pallidus</i>		
<i>Brush Cuckoo</i>	<i>Cacomantis variolosus</i>		<i>Should turn up soon</i>
Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	0%	1 15 July 04 (DN), 2 July 06 (MB), 21 April 07 (RS)
Horsfield's Bronze-Cuckoo	<i>Chrysococcyx basalis</i>	13%	1 One bird about from mid Oct 2006 to mid Dec 2006; 7 Oct - 20 Nov 2007 (up to 4), 7 Sep 08 (1)
Shining Bronze-Cuckoo	<i>Chrysococcyx lucidus</i>	4%	1 3rd July 2004, 13th Nov 2004, 18th April 2005, 14 Apr 2006, 22-23 Sept 2007,
<i>Little Bronze-Cuckoo</i>	<i>Chrysococcyx minutillus</i>		
Common Koel	<i>Eudynamys scolopacea</i>	37%	1 Not winter
Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	31%	1 Not winter
CENTROPODIDAE			
Pheasant Coucal	<i>Centropus phasianinus</i>	30%	1 More often heard than seen
STRIGIDAE			
Southern Boobook	<i>Ninox novaeseelandiae</i>	0%	1 6th June 2006 (DN) 3rd Nov 2007 (AP)
TYTONIDAE			
<i>Barn Owl</i>	<i>Tyto alba</i>		<i>Tyto owl 27th June 2005 - HP and MG</i>
<i>Grass Owl</i>	<i>Tyto capensis</i>		
PODARGIDAE			
Tawny Frogmouth	<i>Podargus strigoides</i>	0%	1 27th June 2005 (MG, HP)
AEGOTHELIDAE			
<i>Australian Owllet-nightjar</i>	<i>Aegotheles cristatus</i>		
APODIDAE			
White-throated Needletail	<i>Hirundapus caudacutus</i>	15%	1 Not winter
Fork-tailed Swift	<i>Apus pacificus</i>	0%	1 6 March 2005 (CR, MR) two with WTNT
ALCEDINIDAE			
Azure Kingfisher	<i>Alcedo azurea</i>	2%	1 1st Jan 2005 along Oxley creek, regular at Sh arboretum in winter
HALCYONIDAE			
Laughing Kookaburra	<i>Dacelo novaeguineae</i>	81%	1 At least a couple of families
Forest Kingfisher	<i>Todiramphus macleayi</i>	2%	1 A pair present some of winter 2005, 28th August 2005, 27 Feb 08,
Sacred Kingfisher	<i>Todiramphus sanctus</i>	43%	1 Mainly summer, two or three pairs breed along Oxley Creek, also odd birds in winter
Collared Kingfisher	<i>Todiramphus chloris</i>	0%	1 15th Oct 2006 at Canoe Pontoon (HP)
MEROPIIDAE			
Rainbow Bee-eater	<i>Merops ornatus</i>	24%	1 Hard to pick a seasonal pattern
CORACIIDAE			
Dollarbird	<i>Eurystomus orientalis</i>	13%	1 Late spring to autumn, arrives mid-late Sept
PITTIDAE			
<i>Noisy Pitta</i>	<i>Pitta versicolor</i>		<i>Could turn up in winter in dense vegetation</i>
CLIMACTERIDAE			
<i>White-throated Treecreeper</i>	<i>Cornobates leucophaeus</i>		<i>May come down in winter</i>
MALURIDAE			
Superb Fairy-wren	<i>Malurus cyaneus</i>	98%	1 Several families, e.g. near Red Shed and at Pelican Lagoon. Needs some cover
Variiegated Fairy-wren	<i>Malurus lamberti</i>	52%	1 Dense vegetation along creek
Red-backed Fairy-wren	<i>Malurus melanocephalus</i>	100%	1 Most abundant Fairy-wren, extends well into grassland
PARDALOTIDAE			
<i>Spotted Pardalote</i>	<i>Pardalotus punctatus</i>		<i>May appear in winter - has occurred at Cliveden Reserve</i>
Striated Pardalote	<i>Pardalotus striatus</i>	46%	1 Odd birds in tall eucalypts
White-browed Scrubwren	<i>Sericornis frontalis</i>	93%	1 Common along creek
Mangrove Gerygone	<i>Gerygone levigaster</i>	70%	1 Most often heard along creek especially Areas 1, 4 and 5
White-throated Gerygone	<i>Gerygone olivacea</i>	7%	1 23rd Apr 2006; 23rd June 2006; 15th May 2007; Sep 2007, more common at Cliveden Reserve where regular winter visitor favouring eucalypts
Yellow-rumped Thornbill	<i>Acanthiza chrysorhoa</i>	19%	1 Mainly between Second Dip and Pelican Lagoon - Areas 5 and 6. Used to be just a pair, in 2006 and 2007 up to seven birds in one or two flocks
MELIPHAGIDAE			
Spiny-cheeked Honeyeater	<i>Acanthagenys rufogularis</i>	2%	1 2nd May 2005 and for a few weeks after that, two or three birds; 23rd May 2007 - 400m sth of red shed (MG)
Striped Honeyeater	<i>Plectorhyncha lanceolata</i>	67%	1 Probably just one family, usually heard rather than seen, likes large eucalypts in the paddocks; maybe more obvious in the winter
Noisy Friarbird	<i>Philemon corniculatus</i>	20%	1 Rare or absent in summer; migrates through in autumn, spring?

Annotated bird list for Oxley Creek Common - seen or heard from Common
(Species in italics have not yet been seen as far as I am aware – Hugh Possingham 2008 - h.possingham@uq.edu.au)

The percentage number is the chance I saw it in 54 visits from Feb 2004 - June 2008 during a 100 minute cycle through the common.

DN - David Niland; MG - Mat and Cathy Gilfedder; BM - Mike Bennett, MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; RS - Rebecca Stroud

	Scientific name	% R	Comments
Little Friarbird	<i>Philemon citreogularis</i>	63%	1 Rarely more than a few
Blue-faced Honeyeater	<i>Entomyzon cyanotis</i>	70%	1 Often flying over or using scattered eucalypts
Noisy Miner	<i>Manorina melanocephala</i>	100%	1 Relatively uncommon, a party around the Secret Forest and a party across river in Nosworthy Park
Lewin's Honeyeater	<i>Meliphaga lewinii</i>	83%	1 Along creeks in dense vegetation
Yellow-faced Honeyeater	<i>Lichenostomus chrysops</i>	7%	1 Erratic winter visitor, particularly 2005
<i>Mangrove Honeyeater</i>	<i>Lichenostomus fasciocularis</i>		<i>Maybe if mangroves get bigger, I have not seen this closer than Wynum</i>
<i>White-throated Honeyeater</i>	<i>Melithreptus albogularis</i>		<i>Once nearby at Cliveden Reserve, common at Toohey Forest</i>
<i>White-naped Honeyeater</i>	<i>Melithreptus lunatus</i>		<i>I would expect to see this turn up in the winter</i>
Brown Honeyeater	<i>Lichmera indistincta</i>	100%	1 Much more abundant in the winter
Eastern Spinebill	<i>Acanthorhynchus tenuirostris</i>	0%	1 X May 2007 [TM], other winter records from nearby
Scarlet Honeyeater	<i>Myzomela sanguinolenta</i>	20%	1 Up to forty birds in winter/early spring in eucalypts, melaleucas and flowering mangroves, not summer, not some years
PETROICIDAE			
<i>Jacky Winter</i>	<i>Microeca fascians</i>		
Rose Robin	<i>Petroica rosea</i>	0%	1 Rare probably consistent winter visitor, May-August; sev records including 5 May 07; 3 Aug 08
Eastern Yellow Robin	<i>Eopsaltria australis</i>	20%	1 One or two birds in Nosworthy Park that occasionally cross Oxley Creek
CINCLOSOMATIDAE			
Eastern Whipbird	<i>Psophodes olivaceus</i>	94%	1 Two or three pairs in dense vegetation along creek, rarely seen
NEOSITTIDAE			
<i>Varied Sittella</i>	<i>Daphoenositta chrysoptera</i>		<i>Conrad saw two in St Lucia in 2006</i>
PACHYCEPHALIDAE			
Golden Whistler	<i>Pachycephala pectoralis</i>	28%	1 Not summer, several in winter along creek
Rufous Whistler	<i>Pachycephala rufiventris</i>	48%	1 Not summer?, but more autumn and spring than golden whistler
Little Shrike-thrush	<i>Colluricincla megarhyncha</i>	0%	1 16 July 2007 (Willem Renema)
Grey Shrike-thrush	<i>Colluricincla harmonica</i>	85%	1 A couple of pairs along creek, one often opposite Nosworthy park.
DICRURIDAE			
Black-faced Monarch	<i>Monarcha melanopsis</i>	2%	1 30 Oct 04 (MB), 17 Mar 07 (RS), 9 Feb 08 (HP) regular spring-early summer visitor Tarcoola Track St Lucia
<i>Spectacled Monarch</i>	<i>Monarcha trivirgatus</i>		<i>Should turn up, Nosworthy Park and Sherwood arboretum at least once, uncommon spring visitor at Tarcoola Track St Lucia</i>
<i>White-eared Monarch</i>	<i>Monarcha leucotis</i>		<i>Regular at Gold Creek Reservoir'</i>
Leadend Flycatcher	<i>Myiagra rubecula</i>	4%	1 Most likely on migration, autumn and spring
<i>Satin Flycatcher</i>	<i>Myiagra cyanoleuca</i>		<i>I don't understand this bird</i>
Restless Flycatcher	<i>Myiagra inquieta</i>	7%	1 One bird present winter of 2005 west of Pelican lagoon most of the time (first 2 Apr 2005); one bird around May-June 2007 (RS, HP, DN), at Cliveden winter 2008
Magpie-lark	<i>Grallina cyanoleuca</i>	100%	1 Several pairs/families
Rufous Fantail	<i>Rhipidura rufifrons</i>	0%	1 17 Mar 07 (RS), 30 Mar 08 (HP)
Grey Fantail	<i>Rhipidura fuliginosa</i>	43%	1 Common from autumn to spring, not summer so far (1 Mar 08), but a few birds do spend summer in Brisbane
Willie Wagtail	<i>Rhipidura leucophrys</i>	100%	1 Several pairs, maybe more in winter
Spangled Drongo	<i>Dicrurus bracteatus</i>	80%	1 Regular along creek, not present or rare Oct-Dec
CAMPEPHAGIDAE			
Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae</i>	94%	1 There may be a seasonal pattern
<i>Barred Cuckoo-shrike</i>	<i>Coracina lineata</i>		<i>Has been at Sherwood arboretum at least three times</i>
White-bellied Cuckoo-shrike	<i>Coracina papuensis</i>	0%	1 24 May 2005 (MG), three near Red Shed; one 16 Apr 2005 (CR, MR)
Cicadabird	<i>Coracina tenuirostris</i>	0%	1 Water Gauge on 23rd Oct 2004 (MB, PK), Nosworthy Park in 2004 (HP), 12 May 2007 (RS)
White-winged Triller	<i>Lalage sueurii</i>	2%	1 14th Oct 2004, 11th April 2006, 21st June 2005, 26th June 2005; 14-22 Oct 2007 (1-5), odd birds in the Corinda-St Lucia area usually from Sept to Nov
Varied Triller	<i>Lalage leucomela</i>	9%	1 Sep - 25 May (not sure about winter), more regular Cliveden reserve
ORIOLIDAE			
Olive-backed Oriole	<i>Oriolus sagittatus</i>	59%	1 Probably all year, but appears more common in summer when calling
Figbird	<i>Sphecothebes viridis</i>	96%	1 Can be many - i.e. 30-40
ARTAMIDAE			
White-breasted Woodswallow	<i>Artamus leucorhynchus</i>	35%	1 Maybe more common in 2006, along creek or at Pelican Lagoon
Grey Butcherbird	<i>Cracticus torquatus</i>	94%	1 Hoop pines of Secret Forest a good spot, usually heard
Pied Butcherbird	<i>Cracticus nigrogularis</i>	98%	1 Usually seen in hoop pines of Secret Forest, or opposite Nosworthy Park
Australian Magpie	<i>Gymnorhina tibicen</i>	100%	1
Pied Currawong	<i>Strepera graculina</i>	28%	1 Prefers more wooded areas

Annotated bird list for Oxley Creek Common - seen or heard from Common
(Species in italics have not yet been seen as far as I am aware – Hugh Possingham 2008 - h.possingham@uq.edu.au)

The percentage number is the chance I saw it in 54 visits from Feb 2004 - June 2008 during a 100 minute cycle through the common.
 DN - David Niland; MG - Mat and Cathy Gilfedder; BM - Mike Bennett, MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; RS - Rebecca Stroud

	Scientific name	% R	Comments
CORVIDAE			
Torresian Crow	<i>Corvus orru</i>	100%	1 Ranging from 15-50, maybe more in winter
PTILONORHYNCHIDAE			
<i>Regent Bowerbird</i>	<i>Sericulus chrysocephalus</i>		<i>Records for Tarcoola Track St Lucia and Cliveden Reserve</i>
ALAUDIDAE			
<i>Singing Bushlark</i>	<i>Mirafra javanica</i>		<i>Why not, in Lockyer, but not sure about suburbs</i>
MOTACILLIDAE			
Richard's Pipit	<i>Anthus novaeseelandiae</i>	87%	1 Around Red Shed and along mown paths, especially near Pelican Lagoon, likes some areas of short grass
PASSERIDAE			
<i>House Sparrow</i>	<i>Passer domesticus</i>		<i>One family always present just across Oxley Creek on Sherwood Road, cant we tempt them across river with bread?, not seen 2007 or 2008 (extinct?)</i>
Zebra Finch	<i>Taeniopygia guttata</i>	0%	1 10 Feb 2007 (HP) one with DBFI
Double-barred Finch	<i>Taeniopygia bichenovii</i>	93%	1 Most regular finch, breeds
Plum-headed Finch	<i>Neochmia modesta</i>	11%	1 From 2-14 birds, sometimes with juveniles and may breed; last 10 Apr 2008
Red-browed Finch	<i>Neochmia temporalis</i>	0%	1 two 8 Oct 05 (CR, RD) section 3?
Nutmeg Mannikin	<i>Lonchura punctulata</i>	4%	1 24 Mar 07, 15 Apr 07 (DN, RS), Sep 07 (flocks), 10 May 08 (5), 12 and 26 June 08 (12)
Chestnut-breasted Mannikin	<i>Lonchura castaneothorax</i>	57%	1 In taller grass and reeds, five to ten juveniles in autumn 2006 and 2007, and carrying nesting material
FRINGILLIDAE			
<i>European Goldfinch</i>	<i>Carduelis carduelis</i>		<i>Very rare in brisbane, but OCC has good habitat with lots of thistles</i>
DICAEDAE			
Mistletoebird	<i>Dicaeum hirundinaceum</i>	94%	1 Much more abundant in the winter, but present all year
HIRUNDINIDAE			
Welcome Swallow	<i>Hirundo neoxena</i>	85%	1 Especially around lagoons
Tree Martin	<i>Hirundo nigricans</i>	69%	1 More on the creek side of the common and over suburbs
Fairy Martin	<i>Hirundo ariel</i>	41%	1 Especially over water, maybe less common or missing in winter/autumn, maybe not
SYLVIIDAE			
Clamorous Reed-Warbler	<i>Acrocephalus stentoreus</i>	59%	1 Regular at the Second Dip, occassional Pelican Lagoon, and several in the inaccessible third lagoon
Tawny Grassbird	<i>Megalurus timoriensis</i>	85%	1 Common but harder to find (less common?) in winter
Little Grassbird	<i>Megalurus gramineus</i>	0%	1 7 Sep 08 Pelican Lagoon, occassional records from sherwood arboretum, two unverified records
Rufous Songlark	<i>Cincloramphus mathewsi</i>	2%	1 20 Sept - 22 Oct 07 one or two
Brown Songlark	<i>Cincloramphus cruralis</i>	2%	1 One bird winter 2006 (CS, MG etc); 13 Oct - 3 Nov 2007 (RS etc)
Golden-headed Cisticola	<i>Cisticola exilis</i>	100%	1 Abundant but harder to find (less common) in winter
ZOSTEROPIDAE			
Silvereeye	<i>Zosterops lateralis</i>	100%	1 Abundant, especially along creek
MUSCICAPIDAE			
<i>Russet-tailed Thrush</i>	<i>Zoothera heinei</i>		
STURNIDAE			
Common Starling	<i>Sturnus vulgaris</i>	41%	1 More often across river near railway line
Common Myna	<i>Acridotheres tristis</i>	83%	1 Increasing from a few to about ten from 2004-2006 (HP, MB)
Total		143	174 Total seen on regular surveys vs total seen by anyone anywhere
Expected number of species seen in 100 minutes		63.5	